

**STOVES**

MADE BETTER

**RANGE COOKER COLLECTION  
2019**





**STOVES**

MADE BETTER

## **THE 2019 RANGE COOKER COLLECTION FROM STOVES**

Stoves Range Cookers are engineered for food. With 100 years' cooking knowledge and expertise, Stoves Range Cookers boast quality craftsmanship and features with true cooking benefits. A Stoves Range Cooker is the ultimate addition to your kitchen, so you can achieve perfect results every time.

Our Range Cookers come with market-leading features, including a ground-breaking three to four oven converter, a gas-through-glass hotplate with two 5kW PowerWok Plus™ burners, Zeus™ Bluetooth® connected timer, Steam & Infuse™ cooking accessory, and co-ordinating hoods.



Engineered in Prescot since 1920.

## FEATURES AVAILABLE ACROSS THE COLLECTION



Four oven cavities; Maxi-Grill™/conventional oven®, multifunction oven® with eleven different cooking functions, Equiflow™ fan oven®, and electric slow cook oven®. Available on all 1000mm and 1100mm models (excluding gas).



The Proflex™ Splitter® gives you the ability to convert the Titan™ Oven® into two separate Equiflow™ fan ovens. Transforming the 900mm three oven Range Cooker into four ovens. Space flexibility when you need it.



Our two 5kW PowerWok Plus™ burners<sup>®</sup> with rapid and intense heat are perfect for your favourite stir fry recipe. Providing even heat over a large area, they're not only ideal for wok-cooking, but for high speed cooking with any large pan.

\*On 1000mm and 1100mm Gas-through-glass models only.

This smooth ceramic glass surface<sup>®</sup> gives a stylish and elegant look whilst keeping all the benefits of cooking on gas<sup>®</sup>. This hob includes a powerful 5kW PowerWok Plus™ burner for rapid and intense heat.

Cook with confidence and wipe clean with ease.




An accessory kit that adds moisture and flavour to your dish turning every meal into a masterpiece. Simply adding water, stock or infused spices to the pot serves to steam from the inside<sup>®</sup>, optimising the taste and texture of your food. All this flavour fast, with an average reduction in cooking time of 20%\*. Also comes with an accessory for making kebabs.



The Stoves Multifunction Oven provides you with the ultimate in cooking flexibility allowing you to select from eleven different cooking functions<sup>®</sup>: Equiflow™ fan oven, pizza setting, dough proving, defrost, intensive bake, top heat only, base heat only, base heat with fan, conventional electric oven, variable rate grill and fanned grill.

(\*Based on cooking a large 2.5kg roast chicken, Liverpool University May 2018)



Using Bluetooth® technology, the Zeus™ free downloadable app® lets you use your smartphone or tablet to control the timer on your oven, save your favourites and automatically update your clock. With Zeus™ you can set the cooking duration and end time, keep an eye on your timer and adjust it without having to be in the kitchen.



Black glass® that becomes transparent® when cooking. The clearest visibility without the need to open the door and lose heat, for the perfect bake every time.  
\*On Precision Range Cookers only.



The deep full width grill pan<sup>®</sup> lets you make the most of the large cooking area. The Maxi-Grill™ comes with double extension Telescopic Sliders<sup>®</sup> providing safe and easy access to food, without having to reach inside.



Effortlessly smooth gliding double extension telescopic shelves<sup>®</sup> slide out to allow safe and easy access to food, without having to reach into the oven. Even if you're using large pans or heavy dishes you can simply baste, turn and season your food with ease. Fully adjustable, they can be moved to whichever shelf position you need.



## ADDITIONAL FEATURES



Provides even heat over a large area®, it's not only ideal for wok cooking but for high speed cooking with any large pan.



### EQUIFLOW™

The Equiflow™ fan oven evenly distributes heat around the full cavity. This naturally results in controlled, consistent cooking.



### PERMACOAT PAINT™

Long-lasting, heat resistant paint, as used on the London Shard, that keeps your cooker looking newer for longer.



### MAXI-CLOCK™

A large programmable clock and timer, with an easy to read white LED display and simple touch control screen.



### PAN GLIDE™

Unique raised cast iron pan supports allow pans to glide across the top of the cooker with ease and stability.



### UNI-CAST FRAME™

The Uni-cast Range Cooker frame is made from a single piece robust cast steel.



### 32 AMP CONNECTION

All of our Induction hobs work on a standard 32 Amp supply.

# INTRODUCING THE 2019 RANGE COOKER COLLECTION

## PRECISION

A striking, modern collection featuring innovative Umbra Glass™; black glass that becomes transparent when cooking.



### COLOURS:

- Black
- Stainless Steel

## RICHMOND

A traditional style with Permacoat Paint™ finish and clearview windows.



### COLOURS:

- Black
- Classic Cream
- Wild Berry
- Hot Jalapeno
- Icy Brook
- Days Break
- Midnight Gaze
- Anthracite
- Soho Green

## STERLING

A sleek contemporary style with clean lines and mirror door finish.



### COLOURS:

- Black
- Stainless Steel

Colour boutique only on deluxe models

## FUEL TYPES



### DUAL FUEL

---

Offering the flexibility of a gas hob and an electric oven, this fuel option allows you to benefit from the controllability of a gas hob and the even temperature distribution of an electric oven.



### ELECTRIC

---

All electric main ovens feature an Equiflow™ fan and 11 Multifunction setting. They also include a conventional oven in grill and induction hob. Induction works by heating the pan rather than the hob, offering a smarter, faster, safer and greener way to cook. All our induction hobs work on a 32 Amp supply.



### GAS

---

Gas hobs offer instant heat that is easily controllable through different burner sizes and adjustable flames. Gas ovens also allow for a moist cooking environment, preventing food from drying out so your dishes turn out perfectly every time.

---

## SIZES

Stoves Range Cookers are available in a number of widths.

**900mm**

**1000mm**

**1100mm**

---

## DELUXE MODELS

Our Deluxe Range Cookers offer four oven cavities on all widths and boast a variety of innovative and unique features, including Bluetooth® technology, powerful 5kW PowerWok Plus™ burners, Pro-Trac™ Telescopic Sliders and a Steam & Infuse™ accessory kit to enhance your cooking experience.



**WANT TO BRING YOUR  
DISHES TO LIFE?**  
Challenge accepted.



A modern, sleek Range Cooker with features  
to truly enhance your love of cooking.



Engineered in Prescot since 1920.



## PRECISION DELUXE S900DF

900mm Precision Deluxe dual fuel Range Cooker. Features include a four cavity Quad Oven™ with Proflex™ Splitter, Umbra Glass™, 164 litres total cooking capacity, Zeus™ Bluetooth® Connected Timer and 4kW PowerWok™.



- |  |   |
|--|---|
| <ul style="list-style-type: none"> <li>① 5 burner gas hob with 4kW PowerWok™</li> <li>② Maxi-Grill™ with Pro-Trac™ Telescopic Sliders and conventional electric oven</li> <li>③ 11 setting Multifunction Oven</li> <li>④ 79 litre Titan™ oven with twin Equiflow™ fan</li> </ul> | <ul style="list-style-type: none"> <li>• Quad Oven™ with Proflex™ Splitter</li> <li>• Umbra Glass™</li> <li>• Zeus™ Bluetooth® Connected Timer</li> <li>• Steam &amp; Infuse™</li> <li>• Pro-Trac™ Telescopic Sliders</li> <li>• Maxi-Clock™</li> </ul> |
|--|---|

● Black: 444410743    ● Stainless Steel: 444410744

## PRECISION DELUXE S900DF GTG

900mm Precision Deluxe gas-through-glass Range Cooker. Features include a four cavity Quad Oven™ with Proflex™ Splitter, Umbra Glass™, 164 litres total cooking capacity, 11 Multifunction Oven and 5kW PowerWok Plus™.



- |   |   |
|---|---|
| <ul style="list-style-type: none"> <li>① 5 burner gas-through-glass hob with 5kW PowerWok Plus™</li> <li>② Maxi-Grill™ with Pro-Trac™ Telescopic Sliders and conventional electric oven</li> <li>③ 11 setting Multifunction Oven</li> <li>④ 79 litre Titan™ oven with twin Equiflow™ fan</li> </ul> | <ul style="list-style-type: none"> <li>• Quad Oven™ with Proflex™ Splitter</li> <li>• Umbra Glass™</li> <li>• Zeus™ Bluetooth® Connected Timer</li> <li>• Steam &amp; Infuse™</li> <li>• Pro-Trac™ Telescopic Sliders</li> <li>• Maxi-Clock™</li> </ul> |
|---|---|

● Black: 444410749    ● Stainless Steel: 444410750

## PRECISION DELUXE S900EI

900mm Precision Deluxe electric induction Range Cooker. Features include a four cavity Quad Oven™ with Proflex™ Splitter, Umbra Glass™, 164 litres total cooking capacity, 11 Multifunction Oven and Zeus™ Bluetooth® Connected Timer.



- 1 5 zone induction hob with touch control and ten power settings
- 2 Maxi-Grill™ with Pro-Trac™ Telescopic Sliders and conventional electric oven
- 3 11 setting Multifunction Oven
- 4 79 litre Titan™ oven with twin Equiflow™ fan

- Quad Oven™ with Proflex™ Splitter
- Umbra Glass™
- Zeus™ Bluetooth® Connected Timer
- Steam & Infuse™
- Pro-Trac™ Telescopic Sliders
- Maxi-Clock™
- 32 Amp connection

● Black: 444410755    ● Stainless Steel: 444410756

## PRECISION DELUXE S900G

900mm Precision Deluxe gas Range Cooker. Features include three ovens with 178 litres total cooking capacity, Umbra Glass™, 4kW PowerWok™ and Zeus™ Bluetooth® Connected Timer.



- 1 5 burner gas hob with 4kW PowerWok™
- 2 Gas Maxi-Grill™ with Pro-Trac™ Telescopic Sliders
- 3 Conventional gas main oven
- 4 79 litre Titan™ electric oven with twin Equiflow™ fan

- Proflex™ Splitter
- Umbra Glass™
- Zeus™ Bluetooth® Connected Timer
- Pro-Trac™ Telescopic Sliders
- Maxi-Clock™ – Cook to off
- Wok cradle & cast iron dual griddle

● Black: 444410761    ● Stainless Steel: 444410762

## PRECISION DELUXE S1000DF

1000mm Precision Deluxe dual fuel Range Cooker. Features include four cavity Quad Oven™ with 179 litres total cooking capacity, Umbra Glass™, 11 Multifunction Oven and 4kW PowerWok™.



- ① 7 burner gas hob with 4kW PowerWok™
- ② Maxi-Grill™ with Pro-Trac™ Telescopic Sliders and conventional electric oven
- ③ 11 setting Multifunction Oven
- ④ Electric oven with Equiflow™ fan
- ⑤ Electric slow cook oven

- Four cavity Quad Oven™
- Umbra Glass™
- Zeus™ Bluetooth® Connected Timer
- Steam & Infuse™
- Pro-Trac™ Telescopic Sliders
- Maxi-Clock™

● Black: 444410745    ● Stainless Steel: 444410746

## PRECISION DELUXE S1000DF GTG

1000mm Precision Deluxe gas-through-glass Range Cooker. Features include four cavity Quad Oven™ with 179 litres total cooking capacity, Umbra Glass™, 11 Multifunction Oven and two 5kW PowerWok Plus™ burners.



- ① 6 burner gas-through-glass hob with two 5kW PowerWok Plus™ burners
- ② Maxi-Grill™ with Pro-Trac™ Telescopic Sliders and conventional electric oven
- ③ 11 setting Multifunction Oven
- ④ Electric oven with Equiflow™ fan
- ⑤ Electric slow cook oven

- Four cavity Quad Oven™
- Umbra Glass™
- Zeus™ Bluetooth® Connected Timer
- Steam & Infuse™
- Pro-Trac™ Telescopic Sliders
- Maxi-Clock™

● Black: 444410751    ● Stainless Steel: 444410752



## PRECISION DELUXE S1000EI

1000mm Precision Deluxe electric induction Range Cooker. Features include four cavity Quad Oven™ with 179 litres total cooking capacity, Umbra Glass™, 11 Multifunction Oven and Zeus™ Bluetooth® Connected Timer.



- 1 5 zone induction hob with touch control and ten power settings
- 2 Maxi-Grill™ with Pro-Trac™ Telescopic Sliders and conventional electric oven
- 3 11 setting Multifunction Oven
- 4 Electric oven with Equiflow™ fan
- 5 Electric slow cook oven

- Four cavity Quad Oven™
- Umbra Glass™
- Zeus™ Bluetooth® Connected Timer
- Steam & Infuse™
- Pro-Trac™ Telescopic Sliders
- Maxi-Clock™
- 32 Amp connection

● Black: 444410757    ● Stainless Steel: 444410758

## PRECISION DELUXE S1000G

1000mm Precision Deluxe gas Range Cooker. Features include four cavity Quad Oven™ with 179 litres total cooking capacity, Umbra Glass™, 4kW PowerWok™ and Zeus™ Bluetooth® Connected Timer.



- 1 7 burner gas hob with 4kW PowerWok™
- 2 Maxi-Grill™ with Pro-Trac™ Telescopic Sliders and conventional gas oven
- 3 Conventional gas main oven
- 4 Conventional gas oven
- 5 Electric slow cook oven

- Four cavity Quad Oven™
- Umbra Glass™
- Zeus™ Bluetooth® Connected Timer
- Pro-Trac™ Telescopic Sliders
- Maxi-Clock™ – Cook to off
- Wok cradle & cast iron dual griddle

● Black: 444410763    ● Stainless Steel: 444410764

## PRECISION DELUXE S1100DF

1100mm Precision Deluxe dual fuel Range Cooker. Features include four cavity Quad Oven™ with 200 litres total cooking capacity, Umbra Glass™, 11 Multifunction Oven and 4kW PowerWok™.



- ① 7 burner gas hob with 4kW PowerWok™
- ② Maxi-Grill™ with Pro-Trac™ Telescopic Sliders and conventional electric oven
- ③ 11 setting Multifunction Oven
- ④ Electric oven with Equiflow™ fan
- ⑤ Electric slow cook oven

- Four cavity Quad Oven™
- Umbra Glass™
- Zeus™ Bluetooth® Connected Timer
- Steam & Infuse™
- Pro-Trac™ Telescopic Sliders
- Maxi-Clock™

● Black: 444410747    ● Stainless Steel: 444410748

## PRECISION DELUXE S1100DF GTG

1100mm Precision Deluxe gas-through-glass Range Cooker. Features include four cavity Quad Oven™ with 200 litres total cooking capacity, Umbra Glass™, 11 Multifunction Oven and two 5kW PowerWok™ Plus burners.



- ① 6 burner gas-through-glass hob with two 5kW PowerWok Plus™ burners
- ② Maxi-Grill™ with Pro-Trac™ Telescopic Sliders and conventional electric oven
- ③ 11 setting Multifunction Oven
- ④ Electric oven with Equiflow™ fan
- ⑤ Electric slow cook oven

- Four cavity Quad Oven™
- Umbra Glass™
- Zeus™ Bluetooth® Connected Timer
- Steam & Infuse™
- Pro-Trac™ Telescopic Sliders
- Maxi-Clock™

● Black: 444410753    ● Stainless Steel: 444410754

## PRECISION DELUXE S1100EI

1100mm Precision Deluxe electric induction Range Cooker. Features include four cavity Quad Oven™ with 200 litres total cooking capacity, Umbra Glass™, 11 Multifunction Oven and Zeus™ Bluetooth® Connected Timer.



- |   |   |
|---|---|
| <p>1 5 zone induction hob with touch control and ten power settings</p> <p>2 Maxi-Grill™ with Pro-Trac™ Telescopic Sliders and conventional electric oven</p> <p>3 11 setting Multifunction Oven</p> <p>4 Electric oven with Equiflow™ fan</p> <p>5 Electric slow cook oven</p> | <ul style="list-style-type: none"> <li>• Four cavity Quad Oven™</li> <li>• Umbra Glass™</li> <li>• Zeus™ Bluetooth® Connected Timer</li> <li>• Steam &amp; Infuse™</li> <li>• Pro-Trac™ Telescopic Sliders</li> <li>• Maxi-Clock™</li> <li>• 32 Amp connection</li> </ul> |
|---|---|

● Black: 444410759    ● Stainless Steel: 444410760

## PRECISION DELUXE S1100G

1100mm Precision Deluxe gas Range Cooker. Features include four cavity Quad Oven™ with 200 litres total cooking capacity, Umbra Glass™, 4kW PowerWok™ and Zeus™ Bluetooth® Connected Timer.



- |  |  |
|--|--|
| <p>1 7 burner gas hob with 4kW PowerWok™</p> <p>2 Electric Maxi-Grill™ with Pro-Trac™ Telescopic Sliders and conventional gas oven</p> <p>3 Conventional gas main oven</p> <p>4 Conventional gas oven</p> <p>5 Electric slow cook oven</p> | <ul style="list-style-type: none"> <li>• Four cavity Quad Oven™</li> <li>• Umbra Glass™</li> <li>• Zeus™ Bluetooth® Connected Timer</li> <li>• Pro-Trac™ Telescopic Sliders</li> <li>• Maxi-Clock™ – Cook to off</li> <li>• Wok cradle &amp; cast iron dual griddle</li> </ul> |
|--|--|

● Black: 444410765    ● Stainless Steel: 444410766

**WANT THE CAPACITY TO  
COOK TO PERFECTION?**

Challenge accepted.



A traditional looking Range Cooker  
engineered for food.



Engineered in Prescot since 1920.



## RICHMOND DELUXE S900DF

900mm Richmond Deluxe dual fuel Range Cooker. Features include four cavity Quad Oven™ with Proflex™ Splitter, 164 litres total cooking capacity, Zeus™ Bluetooth® Connected Timer and 4kW PowerWok™.



- 1 5 burner gas hob with 4kW PowerWok™
  - 2 Maxi-Grill™ with Pro-Trac™ Telescopic Sliders and conventional electric oven
  - 3 11 setting Multifunction Oven
  - 4 79 litre Titan™ oven with twin Equiflow™ fan
- Quad Oven™ with Proflex™ Splitter
  - Zeus™ Bluetooth® Connected Timer
  - Steam & Infuse™
  - Pro-Trac™ Telescopic Sliders
  - Maxi-Clock™

- Black: 444444897    ● Classic Cream: 444444898    ● Wild Berry: 444410258
- Hot Jalapeno: 444410259    ● Icy Brook: 444410260    ● Days Break: 444410261
- Midnight Gaze: 444410262    ● Anthracite: 444410264    ● Soho Green: 444410263

## RICHMOND DELUXE S900DF GTG

900mm Richmond Deluxe gas-through-glass Range Cooker. Features include four cavity Quad Oven™ with Proflex™ Splitter, 164 litres total cooking capacity, 11 Multifunction Oven and 5kW PowerWok Plus™.



- 1 5 burner gas-through-glass hob with 5kW PowerWok Plus™
  - 2 Maxi-Grill™ with Pro-Trac™ Telescopic Sliders and conventional electric oven
  - 3 11 setting Multifunction Oven
  - 4 79 litre Titan™ oven with twin Equiflow™ fan
- Quad Oven™ with Proflex™ Splitter
  - Zeus™ Bluetooth® Connected Timer
  - Steam & Infuse™
  - Pro-Trac™ Telescopic Sliders
  - Maxi-Clock™

- Black: 444444899    ● Classic Cream: 444444900    ● Wild Berry: 444410265
- Hot Jalapeno: 444410266    ● Icy Brook: 444410267    ● Days Break: 444410268
- Midnight Gaze: 444410269    ● Anthracite: 444410271    ● Soho Green: 444410270

## RICHMOND DELUXE S900EI

900mm Richmond Deluxe electric induction Range Cooker. Features include a four cavity Quad Oven™ with Proflex™ Splitter, 164 litres total cooking capacity, 11 Multifunction Oven and Zeus™ Bluetooth® Connected Timer.



- ① 5 zone induction hob with touch control and ten power settings
  - ② Maxi-Grill™ with Pro-Trac™ Telescopic Sliders and conventional electric oven
  - ③ 11 setting Multifunction Oven
  - ④ 79 litre Titan™ oven with twin Equiflow™ fan
- Quad Oven™ with Proflex™ Splitter
  - Zeus™ Bluetooth® Connected Timer
  - Steam & Infuse™
  - Pro-Trac™ Telescopic Sliders
  - Maxi-Clock™
  - 32 Amp connection

- Black: 444444905
- Classic Cream: 444444906
- Wild Berry: 444410279
- Hot Jalapeno: 444410280
- Icy Brook: 444410281
- Days Break: 444410282
- Midnight Gaze: 444410283
- Anthracite: 444410285
- Soho Green: 444410284

## RICHMOND DELUXE S900G

900mm Richmond Deluxe gas Range Cooker. Features include three ovens with 173 litres total cooking capacity, 4kW PowerWok™ and Zeus™ Bluetooth® Connected Timer.



- ① 5 burner gas hob with 4kW PowerWok™
  - ② Gas Maxi-Grill™ with Pro-Trac™ Telescopic Sliders
  - ③ Conventional gas main oven
  - ④ 79 litre Titan™ electric oven with twin Equiflow™ fan
- Proflex™ Splitter
  - Zeus™ Bluetooth® Connected Timer
  - Pro-Trac™ Telescopic Sliders
  - Maxi-Clock™ – Cook to off
  - Wok cradle & cast iron dual griddle

- Black: 444444903
- Classic Cream: 444444904
- Wild Berry: 444410272
- Hot Jalapeno: 444410273
- Icy Brook: 444410274
- Days Break: 444410275
- Midnight Gaze: 444410276
- Anthracite: 444410278
- Soho Green: 444410277

## RICHMOND DELUXE S1000DF

1000mm Richmond Deluxe dual fuel Range Cooker. Features include four cavity Quad Oven™ with 179 litres total cooking capacity, 11 Multifunction Oven and 4kW PowerWok™.



- 1 7 burner gas hob with 4kW PowerWok™
  - 2 Maxi-Grill™ with Pro-Trac™ Telescopic Sliders and conventional electric oven
  - 3 11 setting Multifunction Oven
  - 4 Electric oven with Equiflow™ fan
  - 5 Electric slow cook oven
- Four cavity Quad Oven™
  - Zeus™ Bluetooth® Connected Timer
  - Steam & Infuse™
  - Pro-Trac™ Telescopic Sliders
  - Maxi-Clock™

- Black: 444444907    ● Classic Cream: 444444908    ● Wild Berry: 444410286
- Hot Jalapeno: 444410287    ● Icy Brook: 444410288    ● Days Break: 444410289
- Midnight Gaze: 444410290    ● Anthracite: 444410292    ● Soho Green: 444410291

## RICHMOND DELUXE S1000DF GTG

1000mm Richmond Deluxe gas-through-glass Range Cooker. Features include four cavity Quad Oven™ with 179 litres total cooking capacity, 11 Multifunction Oven and two 5kW PowerWok Plus™ burners.



- 1 6 burner gas-through-glass hob with two 5kW PowerWok Plus™ burners
  - 2 Maxi-Grill™ with Pro-Trac™ Telescopic Sliders and conventional electric oven
  - 3 11 setting Multifunction Oven
  - 4 Electric oven with Equiflow™ fan
  - 5 Electric slow cook oven
- Four cavity Quad Oven™
  - Zeus™ Bluetooth® Connected Timer
  - Steam & Infuse™
  - Pro-Trac™ Telescopic Sliders
  - Maxi-Clock™

- Black: 444444909    ● Classic Cream: 444444910    ● Wild Berry: 444410293
- Hot Jalapeno: 444410294    ● Icy Brook: 444410295    ● Days Break: 444410296
- Midnight Gaze: 444410297    ● Anthracite: 444410299    ● Soho Green: 444410298



## RICHMOND DELUXE S1000EI

1000mm Richmond Deluxe electric induction Range Cooker. Features include four cavity Quad Oven™ with 179 litres total cooking capacity, 11 Multifunction Oven and Zeus™ Bluetooth® Connected Timer.



- ① 5 zone induction hob with touch control and ten power settings
  - ② Maxi-Grill™ with Pro-Trac™ Telescopic Sliders and conventional electric oven
  - ③ 11 setting Multifunction Oven
  - ④ Electric oven with Equiflow™ fan
  - ⑤ Electric slow cook oven
- Four cavity Quad Oven™
  - Zeus™ Bluetooth® Connected Timer
  - Steam & Infuse™
  - Pro-Trac™ Telescopic Sliders
  - Maxi-Clock™
  - 32 Amp connection

- Black: 444444915   ● Classic Cream: 44444491
- Hot Jalapeno: 444410308   ● Icy Brook: 444410309
- Midnight Gaze: 444410311   ● Anthracite: 444410313
- Wild Berry: 444410307
- Days Break: 444410310
- Soho Green: 444410312

## RICHMOND DELUXE S1000G

1000mm Richmond Deluxe gas Range Cooker. Features include four cavity Quad Oven™ with 179 litres total cooking capacity, 4kW PowerWok™ and Zeus™ Bluetooth® Connected Timer.



- ① 7 burner gas hob with 4kW PowerWok™
  - ② Electric Maxi-Grill™ with Pro-Trac™ Telescopic Sliders and conventional gas oven
  - ③ Conventional gas main oven
  - ④ Conventional gas oven
  - ⑤ Electric slow cook oven
- Four cavity Quad Oven™
  - Zeus™ Bluetooth® Connected Timer
  - Pro-Trac™ Telescopic Sliders
  - Maxi-Clock™ – Cook to off
  - Wok cradle & cast iron dual griddle

- Black: 444444913   ● Classic Cream: 444444914
- Hot Jalapeno: 444410301   ● Icy Brook: 444410302
- Midnight Gaze: 444410304   ● Anthracite: 444410306
- Wild Berry: 444410300
- Days Break: 444410303
- Soho Green: 444410305

## RICHMOND DELUXE S1100DF

1100mm Richmond Deluxe dual fuel Range Cooker.  
Features include four cavity Quad Oven™ with 200 litres total cooking capacity, 11 Multifunction Oven and 4kW PowerWok™.



- 1 7 burner gas hob with 4kW PowerWok™
- 2 Maxi-Grill™ with Pro-Trac™ Telescopic Sliders and conventional electric oven
- 3 11 setting Multifunction Oven
- 4 Electric oven with Equiflow™ fan
- 5 Electric slow cook oven

- Four cavity Quad Oven™
- Zeus™ Bluetooth® Connected Timer
- Steam & Infuse™
- Pro-Trac™ Telescopic Sliders
- Maxi-Clock™

- Black: 444444917    ● Classic Cream: 444444918    ● Wild Berry: 444410314
- Hot Jalapeno: 444410315    ● Icy Brook: 444410316    ● Days Break: 444410317
- Midnight Gaze: 444410318    ● Anthracite: 444410320    ● Soho Green: 444410319

## RICHMOND DELUXE S1100DF GTG

1100mm Richmond Deluxe gas-through-glass Range Cooker.  
Features include four cavity Quad Oven™ with 200 litres total cooking capacity, 11 Multifunction Oven and two 5kW PowerWok Plus™ Burners.



- 1 6 burner gas-through-glass hob with two 5kW PowerWok Plus™ burners
- 2 Maxi-Grill™ with Pro-Trac™ Telescopic Sliders and conventional electric oven
- 3 11 setting Multifunction Oven
- 4 Electric oven with Equiflow™ fan
- 5 Electric slow cook oven

- Four cavity Quad Oven™
- Zeus™ Bluetooth® Connected Timer
- Steam & Infuse™
- Pro-Trac™ Telescopic Sliders
- Maxi-Clock™

- Black: 444444919    ● Classic Cream: 444444920    ● Wild Berry: 444410321
- Hot Jalapeno: 444410322    ● Icy Brook: 444410323    ● Days Break: 444410324
- Midnight Gaze: 444410325    ● Anthracite: 444410327    ● Soho Green: 444410326

## RICHMOND DELUXE S1100EI

1100mm Richmond Deluxe electric induction Range Cooker. Features include four cavity Quad Oven™ with 200 litres total cooking capacity, 11 Multifunction Oven and Zeus™ Bluetooth® Connected Timer.



- ① 5 zone induction hob with touch control and ten power settings
  - ② Maxi-Grill™ with Pro-Trac™ Telescopic Sliders and conventional electric oven
  - ③ 11 setting Multifunction Oven
  - ④ Electric oven with Equiflow™ fan
  - ⑤ Electric slow cook oven
- Four cavity Quad Oven™
  - Zeus™ Bluetooth® Connected Timer
  - Steam & Infuse™
  - Pro-Trac™ Telescopic Sliders
  - Maxi-Clock™
  - 32 Amp connection

- Black: 444444925
- Classic Cream: 444444926
- Wild Berry: 444410335
- Hot Jalapeno: 444410336
- Icy Brook: 444410337
- Days Break: 444410338
- Midnight Gaze: 444410339
- Anthracite: 444410341
- Soho Green: 444410340

## RICHMOND DELUXE S1100G

1100mm Richmond Deluxe gas Range Cooker. Features include four cavity Quad Oven™ with 200 litres total cooking capacity, 4kW PowerWok™ and Zeus™ Bluetooth® Connected Timer.



- ① 7 burner gas hob with 4kW PowerWok™
  - ② Electric Maxi-Grill™ with Pro-Trac™ Telescopic Sliders and conventional gas oven
  - ③ Conventional gas main oven
  - ④ Conventional gas oven
  - ⑤ Electric slow cook oven
- Four cavity Quad Oven™
  - Zeus™ Bluetooth® Connected Timer
  - Pro-Trac™ Telescopic Sliders
  - Maxi-Clock™ – Cook to off
  - Wok cradle & cast iron dual griddle

- Black: 444444923
- Classic Cream: 444444924
- Wild Berry: 444410328
- Hot Jalapeno: 444410329
- Icy Brook: 444410330
- Days Break: 444410331
- Midnight Gaze: 444410332
- Anthracite: 444410334
- Soho Green: 444410333

## RICHMOND S900DF

900mm Richmond dual fuel Range Cooker. Features include three ovens with 172 litre total cooking capacity, Titan™ Oven with Equiflow™ fan, 11 Multifunction Oven and 4kW PowerWok™.



- 1 5 burner gas hob with 4kW PowerWok™
- 2 Maxi-Grill™ with Pro-Trac™ Telescopic Sliders and conventional electric oven
- 3 11 setting Multifunction Oven
- 4 87 Litre Titan™ oven with Equiflow™ fan

- Pro-Trac™ Telescopic Sliders
- Maxi-Clock™
- Cast iron dual griddle plate
- Full width grill pan & handle
- A rated ovens

● Black: 444444435   ● Classic Cream: 444444436   ● Anthracite: 444410252

## RICHMOND S900EI

900mm Richmond electric induction Range Cooker. Features include three ovens with 172 litre total cooking capacity, Titan™ Oven with Equiflow™ fan, 11 Multifunction Oven and Pro-Trac™ Telescopic Sliders.



- 1 5 zone induction hob with touch control and ten power settings
- 2 Maxi-Grill™ with Pro-Trac™ Telescopic Sliders and conventional electric oven
- 3 11 setting Multifunction Oven
- 4 87 Litre Titan™ oven with Equiflow™ fan

- Pro-Trac™ Telescopic Sliders
- Maxi-Clock™
- Full width grill pan & handle
- Child lock for hob controls
- A rated ovens
- 32 Amp connection

● Black: 444444445   ● Classic Cream: 444444446   ● Anthracite: 444410253


## RICHMOND S900G

900mm gas Range Cooker. Features include twin ovens with 186 litre total cooking capacity, Titan™ Oven with Equiflow™ fan, 4kW PowerWok™ and gas Maxi Grill™ with Pro-Trac™ Telescopic Sliders.



- |   |  |
|---|--|
| <ul style="list-style-type: none"> <li>① 5 burner gas hob with 4kW PowerWok™</li> <li>② Gas Maxi Grill™ with Pro-Trac™ Telescopic Sliders</li> <li>③ Conventional gas main oven</li> <li>④ 87 Litre Titan™ oven with Equiflow™ fan</li> </ul> | <ul style="list-style-type: none"> <li>• Pro-Trac™ Telescopic Sliders</li> <li>• Maxi-Clock™</li> <li>• Cast iron dual griddle plate</li> <li>• Full width grill pan &amp; handle</li> <li>• Easy clean enamel</li> <li>• A rated ovens</li> </ul> |
|---|--|

● Black: 444410797    ● Classic Cream: 444410798    ● Anthracite: 444410799



Engineered in Prescot since 1920.



Engineered in Prescot since 1920.

## RICHMOND S1000DF

1000mm Richmond dual fuel Range Cooker. Features include four cavity Quad Oven™ with 179 litres of total cooking capacity, 11 Multifunction Oven and 4kW PowerWok™.



- ① 7 burner gas hob with 4kW PowerWok™
- ② Maxi-Grill™ with Pro-Trac™ Telescopic Sliders and conventional electric oven
- ③ 11 setting Multifunction Oven
- ④ Electric oven with Equiflow™ fan
- ⑤ Electric slow cook oven

- Four cavity Quad Oven™
- Pro-Trac™ Telescopic Sliders
- Maxi-Clock™
- Cast iron dual griddle plate
- A rated ovens

● Black: 444444451    ● Classic Cream: 444444452    ● Anthracite: 444410254

## RICHMOND S1000EI

1000mm Richmond electric induction Range Cooker. Features include four cavity Quad Oven™ with 179 litres of total cooking capacity, 11 Multifunction Oven and Pro-Trac™ Telescopic Sliders.



- ① 5 zone induction hob with touch control and ten power settings
  - ② Maxi-Grill™ with Pro-Trac™ Telescopic Sliders and conventional electric oven
  - ③ 11 setting Multifunction Oven
  - ④ Electric oven with Equiflow™ fan
  - ⑤ Electric slow cook oven
- Four cavity Quad Oven™
  - Pro-Trac™ Telescopic Sliders
  - Maxi-Clock™
  - Full width grill pan & handle
  - A rated ovens
  - 32 Amp connection

● Black: 444444460   ● Classic Cream: 444444461   ● Anthracite: 444410255

## RICHMOND S1000G

1000mm gas Range Cooker. Features include four cavity Quad Oven™ with 179 litres of total cooking capacity, 4kW Powerwok™, and gas Maxi Grill™ with Pro-Trac™ Telescopic sliders.



- ① 7 burner gas hob with 4kW PowerWok™
  - ② Electric Maxi-Grill™ with Pro-Trac™ Telescopic Sliders and conventional gas oven
  - ③ Conventional gas main oven
  - ④ Conventional gas oven
  - ⑤ Electric slow cook oven
- Four cavity Quad Oven™
  - Pro-Trac™ Telescopic Sliders
  - Maxi-Clock™
  - Cast iron dual griddle plate
  - Full width grill pan & handle
  - Easy clean enamel
  - A rated ovens

● Black: 444410800   ● Classic Cream: 444410801   ● Anthracite: 444410802

## RICHMOND S1100DF

1100mm Richmond dual fuel Range Cooker. Features include four cavity Quad Oven™ with 200 litres total cooking capacity, 11 Multifunction Oven and 4kW PowerWok™.



- ① 7 burner gas hob with 4kW PowerWok™
- ② Maxi-Grill™ with Pro-Trac™ Telescopic Sliders and conventional electric oven
- ③ 11 setting Multifunction Oven
- ④ Electric oven with Equiflow™ fan
- ⑤ Electric slow cook oven

- Four cavity Quad Oven™
- Pro-Trac™ Telescopic Sliders
- Maxi-Clock™
- Cast iron dual griddle plate
- A rated ovens

● Black: 444444466   ● Classic Cream: 444444467   ● Anthracite: 444410256

## RICHMOND S1100EI

1100mm Richmond electric induction Range Cooker. Features include four cavity Quad Oven™ with 200 litres total cooking capacity, 11 Multifunction Oven and Pro-Trac™ Telescopic Sliders.



- ① 5 zone induction hob with touch control and ten power settings
- ② Maxi-Grill™ with Pro-Trac™ Telescopic Sliders and conventional electric oven
- ③ 11 setting Multifunction Oven
- ④ Electric oven with Equiflow™ fan
- ⑤ Electric slow cook oven

- Four cavity Quad Oven™
- Pro-Trac™ Telescopic Sliders
- Maxi-Clock™
- Full width grill pan & handle
- A rated ovens
- 32 Amp connection

● Black: 444444475   ● Classic Cream: 444444476   ● Anthracite: 444410257



# RICHMOND S1100G

1100mm gas Range Cooker. Features include four cavity Quad Oven™ with 200 litres of total cooking capacity, 4kW Powerwok™, and gas Maxi Grill™ with Pro-Trac™ Telescopic sliders.



- ① 7 burner gas hob with 4kW PowerWok™
- ② Electric Maxi-Grill™ with Pro-Trac™ Telescopic Sliders and conventional gas oven
- ③ Conventional gas main oven
- ④ Conventional gas oven
- ⑤ Electric slow cook oven

- Four cavity Quad Oven™
- Pro-Trac™ Telescopic Sliders
- Maxi-Clock™
- Cast iron dual griddle plate
- Full width grill pan & handle
- Easy clean enamel
- A rated ovens

● Black: 444410803    ● Classic Cream: 444410804    ● Anthracite: 444410805



Engineered in Prescot since 1920.

**WANT TO MAKE EVERY MEAL  
AN EXPERIENCE?**  
Challenge accepted.



A contemporary Range Cooker boasting features with real cooking benefits.



Engineered in Prescot since 1920.



## STERLING DELUXE S900DF

900mm Sterling Deluxe dual fuel Range Cooker. Features include four cavity Quad Oven™ with Proflex™ Splitter, 164 litres total cooking capacity, Zeus™ Bluetooth® Connected Timer and 4kW PowerWok™.



- |  |   |
|--|---|
| <ul style="list-style-type: none"> <li>① 5 burner gas hob with 4kW PowerWok™</li> <li>② Maxi-Grill™ with Pro-Trac™ Telescopic Sliders and conventional electric oven</li> <li>③ 11 setting Multifunction Oven</li> <li>④ 79 litre Titan™ oven with twin Equiflow™ fan</li> </ul> | <ul style="list-style-type: none"> <li>• Quad Oven™ with Proflex™ Splitter</li> <li>• Zeus™ Bluetooth® Connected Timer</li> <li>• Steam &amp; Infuse™</li> <li>• Pro-Trac™ Telescopic Sliders</li> <li>• Maxi-Clock™</li> </ul> |
|--|---|

● Black: 444444931    ● Stainless Steel: 444444932

## STERLING DELUXE S900DF GTG

900mm Sterling Deluxe gas-through-glass Range Cooker. Features include four cavity Quad Oven™ with Proflex™ Splitter, 164 litres total cooking capacity, 11 Multifunction Oven and 5kW PowerWok Plus™.



- |   |   |
|---|---|
| <ul style="list-style-type: none"> <li>① 5 burner gas-through-glass hob with 5kW PowerWok Plus™</li> <li>② Maxi-Grill™ with Pro-Trac™ Telescopic Sliders and conventional electric oven</li> <li>③ 11 setting Multifunction Oven</li> <li>④ 79 litre Titan™ oven with twin Equiflow™ fan</li> </ul> | <ul style="list-style-type: none"> <li>• Quad Oven™ with Proflex™ Splitter</li> <li>• Zeus™ Bluetooth® Connected Timer</li> <li>• Steam &amp; Infuse™</li> <li>• Pro-Trac™ Telescopic Sliders</li> <li>• Maxi-Clock™</li> </ul> |
|---|---|

● Black: 444444933    ● Stainless Steel: 444444934

## STERLING DELUXE S900EI

900mm Sterling Deluxe electric induction Range Cooker. Features include a four cavity Quad Oven™ with Proflex™ Splitter, 164 litres total cooking capacity, 11 Multifunction Oven and Zeus™ Bluetooth® Connected Timer.



- 1 5 zone induction hob with touch control and ten power settings
  - 2 Maxi-Grill™ with Pro-Trac™ Telescopic Sliders and conventional electric oven
  - 3 11 setting Multifunction Oven
  - 4 79 litre Titan™ oven with twin Equiflow™ fan
- Quad Oven™ with Proflex™ Splitter
  - Zeus™ Bluetooth® Connected Timer
  - Steam & Infuse™
  - Pro-Trac™ Telescopic Sliders
  - Maxi-Clock™
  - 32 Amp connection

● Black: 444444939    ● Stainless Steel: 444444940

## STERLING DELUXE S900G

900mm Sterling Deluxe gas Range Cooker. Features include three ovens with 173 litres total cooking capacity, 4kW PowerWok™ and Zeus™ Bluetooth® Connected Timer.



- 1 5 burner gas hob with 4kW PowerWok™
  - 2 Gas Maxi-Grill™ with Pro-Trac™ Telescopic Sliders
  - 3 Conventional gas main oven
  - 4 79 litre Titan™ electric oven with twin Equiflow™ fan
- Proflex™ Splitter
  - Zeus™ Bluetooth® Connected Timer
  - Pro-Trac™ Telescopic Sliders
  - Maxi-Clock™ – Cook to off
  - Wok cradle & cast iron dual griddle

● Black: 444444935    ● Stainless Steel: 444444936

## STERLING DELUXE S1000DF

1000mm Sterling Deluxe dual fuel Range Cooker. Features include four cavity Quad Oven™ with 179 litres total cooking capacity, 11 Multifunction Oven and 4kW PowerWok™.



- ① 7 burner gas hob with 4kW PowerWok™
- ② Maxi-Grill™ with Pro-Trac™ Telescopic Sliders and conventional electric oven
- ③ 11 setting Multifunction Oven
- ④ Electric oven with Equiflow™ fan
- ⑤ Electric slow cook oven

- Four cavity Quad Oven™
- Zeus™ Bluetooth® Connected Timer
- Steam & Infuse™
- Pro-Trac™ Telescopic Sliders
- Maxi-Clock™

● Black: 444444941    ● Stainless Steel: 444444942

## STERLING DELUXE S1000DF GTG

1000mm Sterling Deluxe gas-through-glass Range Cooker. Features include four cavity Quad Oven™ with 179 litres total cooking capacity, 11 Multifunction Oven and two 5kW PowerWok Plus™ burners.



- ① 6 burner gas-through-glass hob with two 5kW PowerWok Plus™ burners
- ② Maxi-Grill™ with Pro-Trac™ Telescopic Sliders and conventional electric oven
- ③ 11 setting Multifunction Oven
- ④ Electric oven with Equiflow™ fan
- ⑤ Electric slow cook oven

- Four cavity Quad Oven™
- Zeus™ Bluetooth® Connected Timer
- Steam & Infuse™
- Pro-Trac™ Telescopic Sliders
- Maxi-Clock™

● Black: 444444943    ● Stainless Steel: 444444944

## STERLING DELUXE S1000EI

1000mm Sterling Deluxe electric induction Range Cooker. Features include four cavity Quad Oven™ with 179 litres total cooking capacity, 11 Multifunction Oven and Zeus™ Bluetooth® Connected Timer.



- |   |   |
|---|---|
| <p>1 5 zone induction hob with touch control and ten power settings</p> <p>2 Maxi-Grill™ with Pro-Trac™ Telescopic Sliders and conventional electric oven</p> <p>3 11 setting Multifunction Oven</p> <p>4 Electric oven with Equiflow™ fan</p> <p>5 Electric slow cook oven</p> | <ul style="list-style-type: none"> <li>• Four cavity Quad Oven™</li> <li>• Zeus™ Bluetooth® Connected Timer</li> <li>• Steam &amp; Infuse™</li> <li>• Pro-Trac™ Telescopic Sliders</li> <li>• Maxi-Clock™</li> <li>• 32 Amp connection</li> </ul> |
|---|---|

● Black: 444444949    ● Stainless Steel: 444444950

## STERLING DELUXE S1000G

1000mm Sterling Deluxe gas Range Cooker. Features include four cavity Quad Oven™ with 179 litres total cooking capacity, 4kW PowerWok™ and Zeus™ Bluetooth® Connected Timer.



- |   |  |
|---|--|
| <p>1 7 burner gas hob with 4kW PowerWok™</p> <p>2 Maxi-Grill™ with Pro-Trac™ Telescopic Sliders and conventional gas oven</p> <p>3 Conventional gas main oven</p> <p>4 Conventional gas oven</p> <p>5 Electric slow cook oven</p> | <ul style="list-style-type: none"> <li>• Four cavity Quad Oven™</li> <li>• Zeus™ Bluetooth® Connected Timer</li> <li>• Pro-Trac™ Telescopic Sliders</li> <li>• Maxi-Clock™ – Cook to off</li> <li>• Wok cradle &amp; cast iron dual griddle</li> </ul> |
|---|--|

● Black: 444444945    ● Stainless Steel: 444444946

## STERLING DELUXE S1100DF

1100mm Sterling Deluxe dual fuel Range Cooker. Features include four cavity Quad Oven™ with 200 litres total cooking capacity, 11 Multifunction Oven and 4kW PowerWok™.



- ① 7 burner gas hob with 4kW PowerWok™
- ② Maxi-Grill™ with Pro-Trac™ Telescopic Sliders and conventional electric oven
- ③ 11 setting Multifunction Oven
- ④ Electric oven with Equiflow™ fan
- ⑤ Electric slow cook oven

- Four cavity Quad Oven™
- Zeus™ Bluetooth® Connected Timer
- Steam & Infuse™
- Pro-Trac™ Telescopic Sliders
- Maxi-Clock™

● Black: 444444951    ● Stainless Steel: 444444952

## STERLING DELUXE S1100DF GTG

1100mm Sterling Deluxe gas-through-glass Range Cooker. Features include four cavity Quad Oven™ with 200 litres total cooking capacity, 11 Multifunction Oven and two 5kW PowerWok™ Plus burners.



- ① 6 burner gas-through-glass hob with two 5kW PowerWok Plus™ burners
- ② Maxi-Grill™ with Pro-Trac™ Telescopic Sliders and conventional electric oven
- ③ 11 setting Multifunction Oven
- ④ Electric oven with Equiflow™ fan
- ⑤ Electric slow cook oven

- Four cavity Quad Oven™
- Zeus™ Bluetooth® Connected Timer
- Steam & Infuse™
- Pro-Trac™ Telescopic Sliders
- Maxi-Clock™

● Black: 444444953    ● Stainless Steel: 444444954



## STERLING DELUXE S1100EI

1100mm Sterling Deluxe electric induction Range Cooker. Features include four cavity Quad Oven™ with 200 litres total cooking capacity, 11 Multifunction Oven and Zeus™ Bluetooth® Connected Timer.



- |  |   |
|--|---|
| <ul style="list-style-type: none"> <li>① 5 zone induction hob with touch control and ten power settings</li> <li>② Maxi-Grill™ with Pro-Trac™ Telescopic Sliders and conventional electric oven</li> <li>③ 11 setting Multifunction Oven</li> <li>④ Electric oven with Equiflow™ fan</li> <li>⑤ Electric slow cook oven</li> </ul> | <ul style="list-style-type: none"> <li>• Four cavity Quad Oven™</li> <li>• Zeus™ Bluetooth® Connected Timer</li> <li>• Steam &amp; Infuse™</li> <li>• Pro-Trac™ Telescopic Sliders</li> <li>• Maxi-Clock™</li> <li>• 32 Amp connection</li> </ul> |
|--|---|

● Black: 444444959    ● Stainless Steel: 444444960

## STERLING DELUXE S1100G

1100mm Sterling Deluxe gas Range Cooker. Features include four cavity Quad Oven™ with 200 litres total cooking capacity, 4kW PowerWok™ and Zeus™ Bluetooth® Connected Timer.



- |   |  |
|---|--|
| <ul style="list-style-type: none"> <li>① 7 burner gas hob with 4kW PowerWok™</li> <li>② Electric Maxi-Grill™ with Pro-Trac™ Telescopic Sliders and conventional gas oven</li> <li>③ Conventional gas main oven</li> <li>④ Conventional gas oven</li> <li>⑤ Electric slow cook oven</li> </ul> | <ul style="list-style-type: none"> <li>• Four cavity Quad Oven™</li> <li>• Zeus™ Bluetooth® Connected Timer</li> <li>• Pro-Trac™ Telescopic Sliders</li> <li>• Maxi-Clock™ – Cook to off</li> <li>• Wok cradle &amp; cast iron dual griddle</li> </ul> |
|---|--|

● Black: 444444955    ● Stainless Steel: 444444956

## STERLING S900DF

900mm Sterling dual fuel Range Cooker. Features include three ovens with 172 litre total cooking capacity, Titan™ Oven with Equiflow™ fan, 11 Multifunction Oven and 4kW PowerWok™.



- 1 5 burner gas hob with 4kW PowerWok™
- 2 Maxi-Grill™ with Pro-Trac™ Telescopic Sliders and conventional electric oven
- 3 11 setting Multifunction Oven
- 4 87 Litre Titan™ oven with Equiflow™ fan

- Pro-Trac™ Telescopic Sliders
- Maxi-Clock™
- Cast iron dual griddle plate
- Full width grill pan & handle
- A rated ovens

● Black: 444444481 ● Stainless Steel: 444444482

## STERLING S900EI

900mm Sterling electric induction Range Cooker. Features include three ovens with 172 litre total cooking capacity, Titan™ Oven with Equiflow™ fan, 11 Multifunction Oven and Pro-Trac™ Telescopic Sliders.



- 1 5 zone induction hob with touch control and ten power settings
- 2 Maxi-Grill™ with Pro-Trac™ Telescopic Sliders and conventional electric oven
- 3 11 setting Multifunction Oven
- 4 87 Litre Titan™ oven with Equiflow™ fan

- Pro-Trac™ Telescopic Sliders
- Maxi-Clock™
- Full width grill pan & handle
- Child lock for hob controls
- A rated ovens
- 32 Amp connection

● Black: 444444487 ● Stainless Steel: 444444488

## STERLING S900G

900mm Gas Range Cooker. Features include twin ovens with 186 litre total cooking capacity, Titan Oven™ with Equiflow™ fan, 4kW PowerWok™ and gas Maxi Grill™ with Pro-Trac™ Telescopic Sliders.



- ① 5 burner gas hob with 4kW PowerWok™
- ② Gas Maxi Grill™ with Pro-Trac™ Telescopic Sliders
- ③ Conventional gas main oven
- ④ 87 Litre Titan™ oven with Equiflow™ fan

- Pro-Trac™ Telescopic Sliders
- Maxi-Clock™
- Cast iron dual griddle plate
- Full width grill pan & handle
- Easy clean enamel
- A rated ovens

● Black: 444410806    ● Stainless Steel: 444410807



Engineered in Prescot since 1920.



Engineered in Prescot since 1920.

## STERLING S1000DF

1000mm Sterling dual fuel Range Cooker. Features include four cavity Quad Oven™ with 179 litres of total cooking capacity, 11 Multifunction Oven and 4kW PowerWok™.



- ① 7 burner gas hob with 4kW PowerWok™
  - ② Maxi-Grill™ with Pro-Trac™ Telescopic Sliders and conventional electric oven
  - ③ 11 setting Multifunction Oven
  - ④ Electric oven with Equiflow™ fan
  - ⑤ Electric slow cook oven
- Four cavity Quad Oven™
  - Pro-Trac™ Telescopic Sliders
  - Maxi-Clock™
  - Cast iron dual griddle plate
  - A rated ovens

● Black: 444444491    ● Stainless Steel: 444444492

## STERLING S1000EI

1000mm Sterling electric induction Range Cooker. Features include four cavity Quad Oven™ with 179 litres of total cooking capacity, 11 Multifunction Oven and Pro-Trac™ Telescopic Sliders.



- ① 5 zone induction hob with touch control and ten power settings
- ② Maxi-Grill™ with Pro-Trac™ Telescopic Sliders and conventional electric oven
- ③ 11 setting Multifunction Oven
- ④ Electric oven with Equiflow™ fan
- ⑤ Electric slow cook oven

- Four cavity Quad Oven™
- Pro-Trac™ Telescopic Sliders
- Maxi-Clock™
- Full width grill pan & handle
- A rated ovens
- 32 Amp connection

● Black: 444444497    ● Stainless Steel: 444444498

## STERLING S1000G

1000mm gas Range Cooker. Features include four cavity Quad Oven™ with 179 litres of total cooking capacity, 4kW Powerwok™, and gas Maxi Grill™ with Pro-Trac™ Telescopic sliders.



- ① 7 burner gas hob with 4kW PowerWok™
- ② Electric Maxi-Grill™ with Pro-Trac™ Telescopic Sliders and conventional gas oven
- ③ Conventional gas main oven
- ④ Conventional gas oven
- ⑤ Electric slow cook oven

- Four cavity Quad Oven™
- Pro-Trac™ Telescopic Sliders
- Maxi-Clock™
- Cast iron dual griddle plate
- Full width grill pan & handle
- Easy clean enamel
- A rated ovens

● Black: 444410808    ● Stainless Steel: 444410809

## STERLING S1100DF

1100mm Sterling dual fuel Range Cooker. Features include four cavity Quad Oven™ with 200 litres total cooking capacity, 11 Multifunction Oven and 4kW PowerWok™.



- ① 7 burner gas hob with 4kW PowerWok™
- ② Maxi-Grill™ with Pro-Trac™ Telescopic Sliders and conventional electric oven
- ③ 11 setting Multifunction Oven
- ④ Electric oven with Equiflow™ fan
- ⑤ Electric slow cook oven

- Four cavity Quad Oven™
- Pro-Trac™ Telescopic Sliders
- Maxi-Clock™
- Cast iron dual griddle plate
- A rated ovens

● Black: 444444501    ● Stainless Steel: 444444502

## STERLING S1100EI

1100mm Sterling electric induction Range Cooker. Features include four cavity Quad Oven™ with 200 litres total cooking capacity, 11 Multifunction Oven and Pro-Trac™ Telescopic Sliders.



- ① 5 zone induction hob with touch control and ten power settings
- ② Maxi-Grill™ with Pro-Trac™ Telescopic Sliders and conventional electric oven
- ③ 11 setting Multifunction Oven
- ④ Electric oven with Equiflow™ fan
- ⑤ Electric slow cook oven

- Four cavity Quad Oven™
- Pro-Trac™ Telescopic Sliders
- Maxi-Clock™
- Full width grill pan & handle
- A rated ovens
- 32 Amp connection

● Black: 444444507    ● Stainless Steel: 444444508

## STERLING S1100G

1100mm gas Range Cooker. Features include four cavity Quad Oven™ with 200 litres of total cooking capacity, 4kW Powerwok™, and gas Maxi Grill™ with Pro-Trac™ Telescopic sliders.



- ① 7 burner gas hob with 4kW PowerWok™
- ② Electric Maxi-Grill™ with Pro-Trac™ Telescopic Sliders and conventional gas oven
- ③ Conventional gas main oven
- ④ Conventional gas oven
- ⑤ Electric slow cook oven

- Four cavity Quad Oven™
- Pro-Trac™ Telescopic Sliders
- Maxi-Clock™
- Cast iron dual griddle plate
- Full width grill pan & handle
- Easy clean enamel
- A rated ovens

● Black: 444410810    ● Stainless Steel: 444410811



## CO-ORDINATING HOODS

We have a range of co-ordinating Richmond and Sterling hoods to complete your kitchen. All cooker hoods feature three fan speeds, timed boost setting, market leading noise levels and extraction rates and are all A energy rated.

**VISIT [STOVES.CO.UK](http://STOVES.CO.UK) FOR MORE DETAILS**



**PRECISION RANGE COOKER COLLECTION TECHNICAL SPECIFICATION**

Product name	Precision Deluxe S900DF	Precision Deluxe S900DF GTG	Precision Deluxe S900EI	Precision Deluxe S900G	Precision Deluxe S1000DF	Precision Deluxe S1000DF GTG
<b>Product description</b>	900mm Dual Fuel Range Cooker	900mm Dual Fuel Gas-Through-Glass Range Cooker	900mm Induction Range Cooker	900mm Gas Range Cooker	1000mm Dual Fuel Range Cooker	1000mm Dual Fuel Gas-Through-Glass Range Cooker
<b>Fuel</b>	Dual Fuel	Dual Fuel	Electric	Gas	Dual Fuel	Dual Fuel
<b>Number of ovens</b>	4*	4*	4*	3*	4*	4*
<b>Warranty period</b>	5 Years Parts & 1 Year Labour	5 Years Parts & 1 Year Labour	5 Years Parts & 1 Year Labour	5 Years Parts & 1 Year Labour	5 Years Parts & 1 Year Labour	5 Years Parts & 1 Year Labour
<b>Hob</b>	5 Gas Burners Medium (2.0kW) Small (1.0kW) Wok (4.0kW) Large (3.0kW) Medium (2.0kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)	5 Gas Burners Medium (2.0kW) Small (1.0kW) Wok (4.0kW) Large (3.0kW) Medium (2.0kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)	5 Induction Zones Medium Induction (1.6 - 3.0kW) Medium Induction (1.6 - 3.0kW) Large Induction (2.3 - 3.7kW) Small Induction (1.5 - 2.2kW) Medium Induction (1.4 - 3.0kW) Individual residual Heat Indicators Touch Controls (Hotplate) Digital power display 10 power levels (incl. boost) Keep warm function Pan detection Pan overheat detection Child lock Boost function 3 presets (melt/sauce, keep warm, rapid simmer) Auto heat up Auto stand by Minute minder Timer function Easy clean ceramic glass surface"	5 Gas Burners Medium (2.0kW) Small (1.0kW) Wok (4.0kW) Large (3.0kW) Medium (2.0kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)	7 Gas Burners Small (1.0kW) Medium (2.0kW) Medium (2.0kW) Small (1.0kW) Wok (4.0kW) Large (3.0kW) Medium (2.0kW) Wok (5.0kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)	6 Gas Burners Wok (5.0kW) Medium (2.0kW) Large (3.0kW) Small (1.0kW) Medium (2.0kW) Wok (5.0kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)
<b>Cavity 1</b>	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 37 actual / 31 litre usable capacity Usable cavity dimensions: 180mmH x 420mmW x 430mmD Power: 1.4Kwh (Oven), 2.7Kwh (Grill) Consumption: 0.67Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 407mmW x 357mmD Drop-down door	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 37 actual / 31 litre usable capacity Usable cavity dimensions: 180mmH x 420mmW x 430mmD Power: 1.4Kwh (Oven), 2.7Kwh (Grill) Consumption: 0.67Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 407mmW x 357mmD Drop-down door	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 37 actual / 31 litre usable capacity Usable cavity dimensions: 180mmH x 420mmW x 430mmD Power: 1.4Kwh (Oven), 2.7Kwh (Grill) Consumption: 0.67Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 407mmW x 357mmD Drop-down door	Top left position Gas grill 37 actual / 35 litre usable capacity Usable cavity dimensions: 180mmH x 420mmW x 430mmD Power: 2.4Kwh 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 407mmW x 307mmD Drop-down door	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 37 actual / 31 litre usable capacity Usable cavity dimensions: 180mmH x 420mmW x 430mmD Power: 1.4Kwh (Oven), 2.7Kwh (Grill) Consumption: 0.67Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 407mmW x 357mmD Drop-down door	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 37 actual / 31 litre usable capacity Usable cavity dimensions: 180mmH x 420mmW x 430mmD Power: 1.4Kwh (Oven), 2.7Kwh (Grill) Consumption: 0.67Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 407mmW x 357mmD Drop-down door
<b>Cavity 2</b>	Bottom left position Main oven Electric multifunction oven Programmable oven 11 functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* Umbr Glass A energy rating 64 actual / 54 litre usable capacity Usable cavity dimensions: 325mmH x 420mmW x 395mmD Power: 2.0Kwh (Oven), 1.7Kwh (Grill) Consumption: 0.73Kwh (Forced air) 0.77Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Electric multifunction oven Programmable oven 11 functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* Umbr Glass A energy rating 64 actual / 54 litre usable capacity Usable cavity dimensions: 325mmH x 420mmW x 395mmD Power: 2.0Kwh (Oven), 1.7Kwh (Grill) Consumption: 0.73Kwh (Forced air) 0.77Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Electric multifunction oven Programmable oven 11 functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* Umbr Glass A energy rating 64 actual / 54 litre usable capacity Usable cavity dimensions: 325mmH x 420mmW x 395mmD Power: 2.0Kwh (Oven), 1.7Kwh (Grill) Consumption: 0.73Kwh (Forced air) 0.77Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Gas conventional oven Programmable oven Umbr Glass A energy rating 64 actual / 64 litre usable capacity Usable cavity dimensions: 325mmH x 420mmW x 315mmD Power: 2.5Kwh Consumption: 1.50Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 407mmW x 307mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Electric multifunction oven Programmable oven 11 functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* Umbr Glass A energy rating 64 actual / 54 litre usable capacity Usable cavity dimensions: 325mmH x 420mmW x 395mmD Power: 2.0Kwh (Oven), 1.7Kwh (Grill) Consumption: 0.73Kwh (Forced air) 0.77Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Electric multifunction oven Programmable oven 11 functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* Umbr Glass A energy rating 64 actual / 54 litre usable capacity Usable cavity dimensions: 325mmH x 420mmW x 395mmD Power: 2.0Kwh (Oven), 1.7Kwh (Grill) Consumption: 0.73Kwh (Forced air) 0.77Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window

\*With Proflex Splitter. \*Included in Thermostat Settings



PRECISION RANGE COOKER COLLECTION TECHNICAL SPECIFICATION

Precision Deluxe S1000E1	Precision Deluxe S1000G	Precision Deluxe S1100DF	Precision Deluxe S1100DF GTG	Precision Deluxe S1100E1	Precision Deluxe S1100G
1000mm Induction Range Cooker	1000mm Gas Range Cooker	1100mm Dual Fuel Range Cooker	1100mm Dual Fuel Gas-Through-Glass Range Cooker	1100mm Induction Range Cooker	1100mm Gas Range Cooker
Electric	Gas	Dual Fuel	Dual Fuel	Electric	Gas
4*	3*	4*	4*	4*	3*
5 Years Parts & 1 Year Labour	5 Years Parts & 1 Year Labour	5 Years Parts & 1 Year Labour	5 Years Parts & 1 Year Labour	5 Years Parts & 1 Year Labour	5 Years Parts & 1 Year Labour
5 Induction Zones Medium Induction (1.6 - 3.0kW) Medium Induction (1.6 - 3.0kW) Large Induction (2.3 - 3.7kW) Small Induction (1.15 - 2.2kW) Medium Induction (1.4 - 3.0kW) Individual residual Heat Indicators Touch Controls (Hotplate) Digital power display 10 power levels (incl. boost) Keep warm function Pan detection Pan overheat detection Child lock Boost function 3 presets (melt/sauce, keep warm, rapid simmer) Auto heat up Auto stand by Minute minder Timer function Easy clean ceramic glass surface	7 Gas Burners Small (1.0kW) Medium (2.0kW) Medium (2.0kW) Small (1.0kW) Wok (4.0kW) Large (3.0kW) Medium (2.0kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)	7 Gas Burners Small (1.0kW) Medium (2.0kW) Medium (2.0kW) Small (1.0kW) Wok (4.0kW) Large (3.0kW) Medium (2.0kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)	6 Gas Burners Wok (5.0kW) Medium (2.0kW) Large (3.0kW) Small (1.0kW) Medium (2.0kW) Wok (5.0kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)	5 Induction Zones Medium Induction (1.6 - 3.0kW) Medium Induction (1.6 - 3.0kW) Large Induction (2.3 - 3.7kW) Small Induction (1.15 - 2.2kW) Medium Induction (1.4 - 3.0kW) Individual residual Heat Indicators Touch Controls (Hotplate) Digital power display 10 power levels (incl. boost) Keep warm function Pan detection Pan overheat detection Child lock Boost function 3 presets (melt/sauce, keep warm, rapid simmer) Auto heat up Auto stand by Minute minder Timer function Easy clean ceramic glass surface	7 Gas Burners Small (1.0kW) Medium (2.0kW) Medium (2.0kW) Small (1.0kW) Wok (4.0kW) Large (3.0kW) Medium (2.0kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)
Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 37 actual / 31 litre usable capacity Usable cavity dimensions: 180mmH x 420mmW x 430mmD Power: 1.4Kwh (Oven), 2.7Kwh (Grill) Consumption: 0.67Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 407mmW x 357mmD Drop-down door	Top left position Third oven Gas & electric conventional oven and grill 2 functions: Fixed rate dual circuit electric grill Conventional gas oven A+ energy rating 37 actual / 24 litre usable capacity Usable cavity dimensions: 180mmH x 420mmW x 430mmD Power: 1.7Kwh (Oven), 2.7Kwh (Grill) Consumption: 0.90Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 407mmW x 307mmD Drop-down door	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 41 actual / 35 litre usable capacity Usable cavity dimensions: 180mmH x 470mmW x 430mmD Power: 1.4Kwh (Oven), 2.7Kwh (Grill) Consumption: 0.66Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 467mmW x 357mmD Drop-down door	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 41 actual / 35 litre usable capacity Usable cavity dimensions: 180mmH x 470mmW x 430mmD Power: 1.4Kwh (Oven), 2.7Kwh (Grill) Consumption: 0.66Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 467mmW x 357mmD Drop-down door	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 41 actual / 35 litre usable capacity Usable cavity dimensions: 180mmH x 470mmW x 430mmD Power: 1.4Kwh (Oven), 2.7Kwh (Grill) Consumption: 0.66Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 467mmW x 357mmD Drop-down door	Top left position Third oven Gas & electric conventional oven and grill 2 functions: Fixed rate dual circuit electric grill Conventional gas oven A energy rating 41 actual / 27 litre usable capacity Usable cavity dimensions: 180mmH x 470mmW x 430mmD Power: 1.7Kwh (Oven), 2.7Kwh (Grill) Consumption: 1.30Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 467mmW x 307mmD Drop-down door
Bottom left position Main oven Electric multifunction oven Programmable oven 11 functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* Umbr Glass A energy rating 64 actual / 54 litre usable capacity Usable cavity dimensions: 325mmH x 420mmW x 395mmD Power: 2.0Kwh (Oven), 1.7Kwh (Grill) Consumption: 0.73Kwh (Forced air) 0.77Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Gas conventional oven Programmable oven Umbr Glass A energy rating 64 actual / 64 litre usable capacity Usable cavity dimensions: 325mmH x 420mmW x 315mmD Power: 2.5Kwh Consumption: 1.50Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 407mmW x 307mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Electric multifunction oven Programmable oven 11 functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* Umbr Glass A energy rating 71 actual / 60 litre usable capacity Usable cavity dimensions: 325mmH x 470mmW x 395mmD Power: 2.0Kwh (Oven), 1.7Kwh (Grill) Consumption: 0.76Kwh (Forced air) 0.81Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 467mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Electric multifunction oven Programmable oven 11 functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* Umbr Glass A energy rating 71 actual / 60 litre usable capacity Usable cavity dimensions: 325mmH x 470mmW x 395mmD Power: 2.0Kwh (Oven), 1.7Kwh (Grill) Consumption: 0.76Kwh (Forced air) 0.81Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 467mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Electric multifunction oven Programmable oven 11 functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* Umbr Glass A energy rating 71 actual / 60 litre usable capacity Usable cavity dimensions: 325mmH x 470mmW x 395mmD Power: 2.0Kwh (Oven), 1.7Kwh (Grill) Consumption: 0.76Kwh (Forced air) 0.81Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 467mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Gas conventional oven Programmable oven Umbr Glass A energy rating 71 actual / 66 litre usable capacity Usable cavity dimensions: 325mmH x 470mmW x 315mmD Power: 2.5Kwh Consumption: 1.80Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 467mmW x 307mmD Halogen light Easy clean enamel interior Side opening door Viewing window

CONTINUED  
OVERLEAF

PRECISION RANGE COOKER COLLECTION TECHNICAL SPECIFICATION

Product name	Precision Deluxe S900DF	Precision Deluxe S900DF GTG	Precision Deluxe S900EI	Precision Deluxe S900G	Precision Deluxe S1000DF	Precision Deluxe S1000DF GTG
<b>Cavity 3</b>	Right position Second oven Electric tall split fanned oven/grill 5 functions: Fixed rate electric grill Fanned electric oven Slow cook Keep warm/plate warm function Dough proving Umbr Glass A energy rating 94 actual / 79 litre usable capacity Usable cavity dimensions: 620mmH x 350mmW x 395mmD Power: 3.0Kwh Consumption: 0.94Kwh (Forced air) 3 shelves, 8 shelf positions 8 telescopic shelf positions Usable area of shelves: 339mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing Window	Right position Second oven Electric tall split fanned oven/grill 5 functions: Fixed rate electric grill Fanned electric oven Slow cook Keep warm/plate warm function Dough proving Umbr Glass A energy rating 94 actual / 79 litre usable capacity Usable cavity dimensions: 620mmH x 350mmW x 395mmD Power: 3.0Kwh Consumption: 0.94Kwh (Forced air) 3 shelves, 8 shelf positions 8 telescopic shelf positions Usable area of shelves: 339mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing Window	Right position Second oven Electric tall split fanned oven/grill 5 functions: Fixed rate electric grill Fanned electric oven Slow cook Keep warm/plate warm function Dough proving Umbr Glass A energy rating 94 actual / 79 litre usable capacity Usable cavity dimensions: 620mmH x 350mmW x 395mmD Power: 3.0Kwh Consumption: 0.94Kwh (Forced air) 3 shelves, 8 shelf positions 8 telescopic shelf positions Usable area of shelves: 339mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing Window	Right position Second oven Electric tall split fanned oven/grill 5 functions: Fixed rate electric grill Fanned electric oven Slow cook Keep warm/plate warm function Dough proving Umbr Glass A energy rating 94 actual / 79 litre usable capacity Usable cavity dimensions: 620mmH x 350mmW x 395mmD Power: 3.0Kwh Consumption: 0.94Kwh (Forced air) 3 shelves, 8 shelf positions 8 telescopic shelf positions Usable area of shelves: 339mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing Window	Top right position Second oven Electric fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving Umbr Glass A energy rating 64 actual / 57 litre usable capacity Usable cavity dimensions: 350mmH x 420mmW x 395mmD Power: 2.0Kwh Consumption: 0.66Kwh (Forced air) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing Window	Top right position Second oven Electric fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving Umbr Glass A energy rating 64 actual / 57 litre usable capacity Usable cavity dimensions: 350mmH x 420mmW x 395mmD Power: 2.0Kwh Consumption: 0.66Kwh (Forced air) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing Window
<b>Cavity 4</b>					Bottom right position Fourth oven Electric slow cooker Slow cook function 37 actual / 37 litre usable capacity Usable cavity dimensions: 200mmH x 420mmW x 430mmD Power: 0.16Kwh Drop-down door	Bottom right position Fourth oven Electric slow cooker Slow cook function 37 actual / 37 litre usable capacity Usable cavity dimensions: 200mmH x 420mmW x 430mmD Power: 0.16Kwh Drop-down door
<b>Fascia cooling system</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>Zeus Bluetooth Connected Timer</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>Proflex Splitter</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>Adjustable feet</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>Rear wheels</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>Removable cast griddle plate</b>	Yes	Yes		Yes	Yes	Yes
<b>Wok cradle</b>	Yes	Yes		Yes	Yes	Yes
<b>Steam &amp; Infuse</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>Full width oven pan – deep</b>	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2
<b>Full width oven pan – reversible trivet</b>	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2
<b>Oven/grill pan handle</b>	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 1	Yes, 1
<b>LPG conversion kit (available separately)</b>	Yes	Yes	No	No	Yes	Yes
<b>Removable parts (for cleaning)</b>	Hob burners Pan supports Shelves Telescopic shelves Shelf guides	Hob burners Pan supports Shelves Telescopic shelves Shelf guides	Shelves Telescopic shelves Shelf guides	Hob burners Pan supports Shelves Telescopic shelves Shelf guides	Hob burners Pan supports Shelves Telescopic shelves Shelf guides	Hob burners Pan supports Shelves Telescopic shelves Shelf guides
<b>Gas type</b>	Nat Gas	Nat Gas		Nat Gas	Nat Gas	Nat Gas
<b>Gas inlet type</b>	1/2" BSP female	1/2" BSP female		1/2" BSP female	1/2" BSP female	1/2" BSP female
<b>Gas inlet position</b>	Rear Right	Rear Right		Rear Right	Rear Right	Rear Right
<b>LPG convertible</b>	Yes	Yes	No	No	Yes	Yes
<b>Hard wired</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>Electrical connection</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>Supply voltage</b>	240V	240V	240V	240V	240V	240V
<b>Total electrical power load</b>	8.98kW	16.38kW	8.98kW	3.13kW	8.13kW	15.53kW
<b>Total gas power load</b>	12kW		13kW	16.9kW	15kW	
<b>Fuse size</b>	32A	32A	32A	13A	32A	32A
<b>Dimensions – packed</b>	1045mmH x 1045mmW x 740mmD 105.95kg	1045mmH x 1045mmW x 740mmD 97.75kg	1045mmH x 1045mmW x 740mmD 93.9kg	1045mmH x 1045mmW x 740mmD 99.45kg	1045mmH x 1130mmW x 740mmD 97.4kg	1045mmH x 1130mmW x 740mmD 112.85kg
<b>Dimensions – product</b>	900-930mmH x 896mmW x 600mmD 98.95kg	900-930mmH x 896mmW x 600mmD 90.75kg	900-930mmH x 896mmW x 600mmD 86.9kg	900-930mmH x 896mmW x 600mmD 92.45kg	900-930mmH x 996mmW x 600mmD 90.4kg	900-930mmH x 996mmW x 600mmD 105.85kg
<b>Black SKU code</b>	444410743	444410749	444410755	444410761	444410745	444410751
<b>Stainless Steel SKU code</b>	444410744	444410750	444410756	444410762	444410746	444410752

**PRECISION RANGE COOKER COLLECTION TECHNICAL SPECIFICATION**

Precision Deluxe S1000EI	Precision Deluxe S1000G	Precision Deluxe S1100DF	Precision Deluxe S1100DF GTG	Precision Deluxe S1100EI	Precision Deluxe S1100G
Top right position Second oven Electric fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving Umbr Glass A energy rating 64 actual / 57 litre usable capacity Usable cavity dimensions: 350mmH x 420mmW x 395mmD Power: 2.0Kwh Consumption: 0.66Kwh (Forced air) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing Window	Top right position Second oven Gas conventional oven Umbr Glass A energy rating 64 actual / 59 litre usable capacity Usable cavity dimensions: 350mmH x 420mmW x 315mmD Power: 2.5Kwh Consumption: 1.5Kwh (Conventional) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing Window	Top right position Second oven Electric fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving Umbr Glass A energy rating 71 actual / 64 litre usable capacity Usable cavity dimensions: 350mmH x 470mmW x 395mmD Power: 2.0Kwh Consumption: 0.75Kwh (Forced air) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 467mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing Window	Top right position Second oven Electric fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving Umbr Glass A energy rating 71 actual / 64 litre usable capacity Usable cavity dimensions: 350mmH x 470mmW x 395mmD Power: 2.0Kwh Consumption: 0.75Kwh (Forced air) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 467mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing Window	Top right position Second oven Electric fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving Umbr Glass A energy rating 71 actual / 64 litre usable capacity Usable cavity dimensions: 350mmH x 470mmW x 395mmD Power: 2.0Kwh Consumption: 0.75Kwh (Forced air) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 467mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing Window	Top right position Second oven Gas conventional oven Umbr Glass A energy rating 71 actual / 66 litre usable capacity Usable cavity dimensions: 350mmH x 470mmW x 315mmD Power: 2.5Kwh Consumption: 1.80Kwh (Conventional) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 407mmW x 307mmD Halogen light Easy clean enamel interior Side opening door Viewing Window
Bottom right position Fourth oven Electric slow cooker Slow cook function 37 actual / 37 litre usable capacity Usable cavity dimensions: 200mmH x 420mmW x 430mmD Power: 0.16Kwh Drop-down door	Bottom right position Fourth oven Electric slow cooker Slow cook function 37 actual / 37 litre usable capacity Usable cavity dimensions: 200mmH x 420mmW x 430mmD Power: 0.16Kwh Drop-down door	Bottom right position Fourth oven Electric slow cooker Slow cook function 41 actual / 41 litre usable capacity Usable cavity dimensions: 200mmH x 470mmW x 430mmD Power: 0.16Kwh Drop-down door	Bottom right position Fourth oven Electric slow cooker Slow cook function 41 actual / 41 litre usable capacity Usable cavity dimensions: 200mmH x 470mmW x 430mmD Power: 0.16Kwh Drop-down door	Bottom right position Fourth oven Electric slow cooker Slow cook function 41 actual / 41 litre usable capacity Usable cavity dimensions: 200mmH x 470mmW x 430mmD Power: 0.16Kwh Drop-down door	Bottom right position Fourth oven Electric slow cooker Slow cook function 41 actual / 41 litre usable capacity Usable cavity dimensions: 200mmH x 470mmW x 430mmD Power: 0.16Kwh Drop-down door
Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes
Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2
Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2
Yes, 1	Yes, 1	Yes, 1	Yes, 1	Yes, 1	Yes, 1
No	No	Yes	Yes	No	No
Shelves Telescopic shelves Shelf guides	Hob burners Pan supports Shelves Telescopic shelves Shelf guides Nat Gas 1/2" BSP female Rear Right	Hob burners Pan supports Shelves Telescopic shelves Shelf guides Nat Gas 1/2" BSP female Rear Right	Hob burners Pan supports Shelves Telescopic shelves Shelf guides Nat Gas 1/2" BSP female Rear Right	Shelves Telescopic shelves Shelf guides	Hob burners Pan supports Shelves Telescopic shelves Shelf guides Nat Gas 1/2" BSP female Rear Right
No	No	Yes	Yes	No	No
Yes	Yes	Yes	Yes	Yes	Yes
240V	240V	240V	240V	240V	240V
8.13kW	2.98kW	8.13kW	15.53kW	8.13kW	2.98kW
18kW	21.7kW	15kW	32A	18kW	21.7kW
32A	13A	32A	32A	32A	13A
1045mmH x 1130mmW x 740mmD 92.9kg	1045mmH x 1130mmW x 740mmD 101.7kg	1045mmH x 1230mmW x 740mmD 105.7kg	1045mmH x 1230mmW x 740mmD 122.7kg	1045mmH x 1230mmW x 740mmD 101.4kg	1045mmH x 1230mmW x 740mmD 110.4kg
900-930mmH x 996mmW x 600mmD 85.9kg	900-930mmH x 996mmW x 600mmD 94.7kg	900-930mmH x 1096mmW x 600mmD 98.7kg	900-930mmH x 1096mmW x 600mmD 115.7kg	900-930mmH x 91096mmW x 600mmD 94.4kg	900-930mmH x 1096mmW x 600mmD 103.4kg
444410757	444410763	444410747	444410753	444410759	444410765
444410758	444410764	444410748	444410754	444410760	444410766

**RICHMOND DELUXE RANGE COOKER COLLECTION TECHNICAL SPECIFICATION**

Product name	Richmond Deluxe S900DF	Richmond Deluxe S900DF GTG	Richmond Deluxe S900EI	Richmond Deluxe S900G	Richmond Deluxe S1000DF	Richmond Deluxe S1000DF GTG
<b>Product description</b>	900mm Dual Fuel Range Cooker	900mm Dual Fuel Gas-Through-Glass Range Cooker	900mm Induction Range Cooker	900mm Gas Range Cooker	1000mm Dual Fuel Range Cooker	1000mm Dual Fuel Gas-Through-Glass Range Cooker
<b>Fuel</b>	Dual Fuel	Dual Fuel	Electric	Gas	Dual Fuel	Dual Fuel
<b>Number of ovens</b>	4†	4†	4†	3†	4	4
<b>Warranty period</b>	5 Year Parts & 1 Year Labour	5 Year Parts & 1 Year Labour	5 Year Parts & 1 Year Labour	5 Year Parts & 1 Year Labour	5 Year Parts & 1 Year Labour	5 Year Parts & 1 Year Labour
<b>Hob</b>	5 Gas Burners Medium (2.0kW) Small (1.0kW) Wok (4.0kW) Large (3.0kW) Medium (2.0kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)	5 Gas Burners Large (3.0kW) Medium (2.0kW) Small (1.0kW) Medium (2.0kW) Wok (5.0kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)	5 Induction Zones Medium Induction (1.6 - 3.0kW) Medium Induction (1.6 - 3.0kW) Large Induction (2.3 - 3.7kW) Small Induction (1.15 - 2.2kW) Medium Induction (1.4 - 3.0kW) Individual residual Heat Indicators Touch Controls (Hotplate) Digital power display 10 power levels (incl. boost) Keep warm function Pan detection Pan overheat detection Child lock Boost function 3 presets (melt/sauce, keep warm, rapid simmer) Auto heat up Auto stand by Minute minder Timer function Easy clean ceramic glass surface	5 Gas Burners Medium (2.0kW) Small (1.0kW) Wok (4.0kW) Large (3.0kW) Medium (2.0kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)	7 Gas Burners Small (1.0kW) Medium (2.0kW) Medium (2.0kW) Small (1.0kW) Wok (4.0kW) Large (3.0kW) Medium (2.0kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)	6 Gas Burners Wok (5.0kW) Medium (2.0kW) Large (3.0kW) Small (1.0kW) Medium (2.0kW) Wok (5.0kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)
<b>Cavity 1</b>	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 37 actual / 31 litre usable capacity Usable cavity dimensions: 180mmH x 420mmW x 430mmD Power: 1.4Kwh (Oven), 2.7Kwh (Grill) Consumption: 0.59Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 407mmW x 357mmD Drop-down door	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 37 actual / 31 litre usable capacity Usable cavity dimensions: 180mmH x 420mmW x 430mmD Power: 1.4Kwh (Oven), 2.7Kwh (Grill) Consumption: 0.59Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 407mmW x 357mmD Drop-down door	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 37 actual / 31 litre usable capacity Usable cavity dimensions: 180mmH x 420mmW x 430mmD Power: 1.4Kwh (Oven), 2.7Kwh (Grill) Consumption: 0.59Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 407mmW x 357mmD Drop-down door	Top left position Gas grill 37 actual / 35 litre usable capacity Usable cavity dimensions: 180mmH x 420mmW x 430mmD Power: 2.4Kwh 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 407mmW x 307mmD Drop-down door	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 37 actual / 31 litre usable capacity Usable cavity dimensions: 180mmH x 420mmW x 430mmD Power: 1.4Kwh (Oven), 2.7Kwh (Grill) Consumption: 0.59Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 407mmW x 357mmD Drop-down door	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 37 actual / 31 litre usable capacity Usable cavity dimensions: 180mmH x 420mmW x 430mmD Power: 1.4Kwh (Oven), 2.7Kwh (Grill) Consumption: 0.59Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 407mmW x 357mmD Drop-down door
<b>Cavity 2</b>	Bottom left position Main oven Electric multifunction oven Programmable oven 11 functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 64 actual / 54 litre usable capacity Usable cavity dimensions: 325mmH x 420mmW x 395mmD Power: 2.0Kwh (Oven), 1.7Kwh (Grill) Consumption: 0.73Kwh (Forced air) 0.76Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Electric multifunction oven Programmable oven 11 functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 64 actual / 54 litre usable capacity Usable cavity dimensions: 325mmH x 420mmW x 395mmD Power: 2.0Kwh (Oven), 1.7Kwh (Grill) Consumption: 0.73Kwh (Forced air) 0.76Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Electric multifunction oven Programmable oven 11 functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 64 actual / 54 litre usable capacity Usable cavity dimensions: 325mmH x 420mmW x 395mmD Power: 2.0Kwh (Oven), 1.7Kwh (Grill) Consumption: 0.73Kwh (Forced air) 0.76Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Gas conventional oven Programmable oven A energy rating 64 actual / 59 litre usable capacity Usable cavity dimensions: 325mmH x 420mmW x 315mmD Power: 2.5Kwh Consumption: 1.70Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 407mmW x 307mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Electric multifunction oven Programmable oven 11 functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 64 actual / 54 litre usable capacity Usable cavity dimensions: 325mmH x 420mmW x 395mmD Power: 2.0Kwh (Oven), 1.7Kwh (Grill) Consumption: 0.73Kwh (Forced air) 0.76Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Electric multifunction oven Programmable oven 11 functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 64 actual / 54 litre usable capacity Usable cavity dimensions: 325mmH x 420mmW x 395mmD Power: 2.0Kwh (Oven), 1.7Kwh (Grill) Consumption: 0.73Kwh (Forced air) 0.76Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window

†With Proflex Splitter. \*Included in Thermostat Settings

**RICHMOND DELUXE RANGE COOKER COLLECTION TECHNICAL SPECIFICATION**

<b>Richmond Deluxe S1000EI</b>	<b>Richmond Deluxe S1000G</b>	<b>Richmond Deluxe S1100DF</b>	<b>Richmond Deluxe S1100DF GTG</b>	<b>Richmond Deluxe S1100EI</b>	<b>Richmond Deluxe S1100G</b>
1000mm Induction Range Cooker	1000mm Gas Range Cooker	1100mm Dual Fuel Range Cooker	1100mm Dual Fuel Gas-Through-Glass Range Cooker	1100mm Induction Range Cooker	1100mm Gas Range Cooker
Electric	Gas	Dual Fuel	Dual Fuel	Electric	Gas
4	4	4	4	4	4
5 Year Parts & 1 Year Labour	5 Year Parts & 1 Year Labour	5 Year Parts & 1 Year Labour	5 Year Parts & 1 Year Labour	5 Year Parts & 1 Year Labour	5 Year Parts & 1 Year Labour
5 Induction Zones Medium Induction (1.6 - 3.0kW) Medium Induction (1.6 - 3.0kW) Large Induction (2.3 - 3.7kW) Small Induction (1.15 - 2.2kW) Medium Induction (1.4 - 3.0kW) Individual residual Heat Indicators Touch Controls (Hotplate) Digital power display 10 power levels (incl. boost) Keep warm function Pan detection Pan overheat detection Child lock Boost function 3 presets (melt/sauce, keep warm, rapid simmer) Auto heat up Auto stand by Minute minder Timer function Easy clean ceramic glass surface	7 Gas Burners Small (1.0kW) Medium (2.0kW) Medium (2.0kW) Small (1.0kW) Wok (4.0kW) Large (3.0kW) Medium (2.0kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)	7 Gas Burners Small (1.0kW) Medium (2.0kW) Medium (2.0kW) Small (1.0kW) Wok (4.0kW) Large (3.0kW) Medium (2.0kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)	6 Gas Burners Wok (5.0kW) Medium (2.0kW) Large (3.0kW) Small (1.0kW) Medium (2.0kW) Wok (5.0kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)	5 Induction Zones Medium Induction (1.6 - 3.0kW) Medium Induction (1.6 - 3.0kW) Large Induction (2.3 - 3.7kW) Small Induction (1.15 - 2.2kW) Medium Induction (1.4 - 3.0kW) Individual residual Heat Indicators Touch Controls (Hotplate) Digital power display 10 power levels (incl. boost) Keep warm function Pan detection Pan overheat detection Child lock Boost function 3 presets (melt/sauce, keep warm, rapid simmer) Auto heat up Auto stand by Minute minder Timer function Easy clean ceramic glass surface	7 Gas Burners Small (1.0kW) Medium (2.0kW) Medium (2.0kW) Small (1.0kW) Wok (4.0kW) Large (3.0kW) Medium (2.0kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)
Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A+ energy rating 37 actual / 31 litre usable capacity Usable cavity dimensions: 180mmH x 420mmW x 430mmD Power: 1.4Kwh (Oven), 2.7Kwh (Grill) Consumption: 0.59Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 407mmW x 357mmD Drop-down door	Top left position Third oven Gas & electric conventional oven and grill 2 functions: Fixed rate dual circuit electric grill Conventional gas oven A+ energy rating 37 actual / 24 litre usable capacity Usable cavity dimensions: 180mmH x 420mmW x 430mmD Power: 1.7Kwh (Oven), 2.7Kwh (Grill) Consumption: 0.92Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 407mmW x 307mmD Drop-down door	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 41 actual / 35 litre usable capacity Usable cavity dimensions: 180mmH x 470mmW x 430mmD Power: 1.4Kwh (Oven), 2.7Kwh (Grill) Consumption: 0.66Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 467mmW x 357mmD Drop-down door	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 41 actual / 35 litre usable capacity Usable cavity dimensions: 180mmH x 470mmW x 430mmD Power: 1.4Kwh (Oven), 2.7Kwh (Grill) Consumption: 0.66Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 467mmW x 357mmD Drop-down door	Top left position Third oven Electric conventional oven and grill 2 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 41 actual / 35 litre usable capacity Usable cavity dimensions: 180mmH x 470mmW x 430mmD Power: 1.4Kwh (Oven), 2.7Kwh (Grill) Consumption: 0.66Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 467mmW x 357mmD Drop-down door	Top left position Third oven Gas & electric conventional oven and grill 2 functions: Fixed rate dual circuit electric grill Conventional gas oven A energy rating 41 actual / 27 litre usable capacity Usable cavity dimensions: 180mmH x 470mmW x 430mmD Power: 1.7Kwh (Oven), 2.7Kwh (Grill) Consumption: 1.33Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 467mmW x 307mmD Drop-down door
Bottom left position Main oven Electric multifunction oven Programmable oven 11 functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 64 actual / 54 litre usable capacity Usable cavity dimensions: 325mmH x 420mmW x 395mmD Power: 2.0Kwh (Oven), 1.7Kwh (Grill) Consumption: 0.73Kwh (Forced air) 0.76Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Gas conventional oven Programmable oven A energy rating 62 actual / 59 litre usable capacity Usable cavity dimensions: 325mmH x 420mmW x 315mmD Power: 2.5Kwh Consumption: 1.49Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 407mmW x 307mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Electric multifunction oven Programmable oven 11 functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 71 actual / 60 litre usable capacity Usable cavity dimensions: 325mmH x 470mmW x 395mmD Power: 2.0Kwh (Oven), 1.7Kwh (Grill) Consumption: 0.71Kwh (Forced air) 0.79Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 467mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Electric multifunction oven Programmable oven 11 functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 71 actual / 60 litre usable capacity Usable cavity dimensions: 325mmH x 470mmW x 395mmD Power: 2.0Kwh (Oven), 1.7Kwh (Grill) Consumption: 0.71Kwh (Forced air) 0.79Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 467mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Electric multifunction oven Programmable oven 11 functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 71 actual / 60 litre usable capacity Usable cavity dimensions: 325mmH x 470mmW x 395mmD Power: 2.0Kwh (Oven), 1.7Kwh (Grill) Consumption: 0.71Kwh (Forced air) 0.79Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 467mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Gas conventional oven Programmable oven A energy rating 62 actual / 59 litre usable capacity Usable cavity dimensions: 325mmH x 470mmW x 315mmD Power: 2.5Kwh Consumption: 1.79Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 467mmW x 307mmD Halogen light Easy clean enamel interior Side opening door Viewing window

**CONTINUED  
OVERLEAF** 

**RICHMOND DELUXE RANGE COOKER COLLECTION TECHNICAL SPECIFICATION**

Product name	Richmond Deluxe S900DF	Richmond Deluxe S900DF GTG	Richmond Deluxe S900EI	Richmond Deluxe S900G	Richmond Deluxe S1000DF	Richmond Deluxe S1000DF GTG
<b>Cavity 3</b>	Right position Second oven Electric tall split fanned oven/grill 5 functions: Fixed rate electric grill Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 94 actual / 79 litre usable capacity Usable cavity dimensions: 620mmH x 350mmW x 395mmD Power: 3.0Kwh Consumption: 0.94Kwh (Forced air) 3 shelves, 8 shelf positions 8 telescopic shelf positions Usable area of shelves: 339mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Door thermometer	Right position Second oven Electric tall split fanned oven/grill 5 functions: Fixed rate electric grill Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 94 actual / 79 litre usable capacity Usable cavity dimensions: 620mmH x 350mmW x 395mmD Power: 3.0Kwh Consumption: 0.94Kwh (Forced air) 3 shelves, 8 shelf positions 8 telescopic shelf positions Usable area of shelves: 339mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Door thermometer	Right position Second oven Electric tall split fanned oven/grill 5 functions: Fixed rate electric grill Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 94 actual / 79 litre usable capacity Usable cavity dimensions: 620mmH x 350mmW x 395mmD Power: 3.0Kwh Consumption: 0.94Kwh (Forced air) 3 shelves, 8 shelf positions 8 telescopic shelf positions Usable area of shelves: 339mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Door thermometer	Right position Second oven Electric tall split fanned oven/grill 5 functions: Fixed rate electric grill Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 94 actual / 79 litre usable capacity Usable cavity dimensions: 620mmH x 350mmW x 395mmD Power: 3.0Kwh Consumption: 0.94Kwh (Forced air) 3 shelves, 8 shelf positions 8 telescopic shelf positions Usable area of shelves: 339mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Door thermometer	Top right position Second oven Electric fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 64 actual / 57 litre usable capacity Usable cavity dimensions: 350mmH x 420mmW x 395mmD Power: 2.0Kwh Consumption: 0.67Kwh (Forced air) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door	Top right position Second oven Electric fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 64 actual / 57 litre usable capacity Usable cavity dimensions: 350mmH x 420mmW x 395mmD Power: 2.0Kwh Consumption: 0.67Kwh (Forced air) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door
<b>Cavity 4</b>					Bottom right position Fourth oven Electric slow cooker Slow cook function 37 actual / 37 litre usable capacity Usable cavity dimensions: 200mmH x 420mmW x 430mmD Power: 0.16Kwh Drop-down door	Bottom right position Fourth oven Electric slow cooker Slow cook function 37 actual / 37 litre usable capacity Usable cavity dimensions: 200mmH x 420mmW x 430mmD Power: 0.16Kwh Drop-down door
<b>Fascia cooling system</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>Zeus Bluetooth Connected Timer</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>Proflex Splitter</b>	Yes	Yes	Yes	Yes		
<b>Adjustable feet</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>Rear wheels</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>Removable cast griddle plate</b>	Yes	Yes		Yes	Yes	Yes
<b>Wok cradle</b>	Yes	Yes		Yes	Yes	Yes, 2
<b>Steam &amp; Infuse</b>	Yes	Yes	Yes		Yes	Yes
<b>Full width oven pan – deep</b>	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2
<b>Full width oven pan – reversible trivet</b>	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2
<b>Oven/grill pan handle</b>	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 1	Yes, 1
<b>LPG conversion kit (available separately)</b>	Yes	Yes			Yes	Yes
<b>Removable parts (for cleaning)</b>	Hob burners Pan supports Shelves Telescopic shelves Shelf guides	Hob burners Pan supports Shelves Telescopic shelves Shelf guides	Shelves Telescopic shelves Shelf guides	Hob burners Pan supports Shelves Telescopic shelves Shelf guides	Hob burners Pan supports Shelves Telescopic shelves Shelf guides	Hob burners Pan supports Shelves Telescopic shelves Shelf guides
<b>Gas type</b>	Nat Gas	Nat Gas		Nat Gas	Nat Gas	Nat Gas
<b>Gas inlet type</b>	1/2" BSP female	1/2" BSP female		1/2" BSP female	1/2" BSP female	1/2" BSP female
<b>Gas inlet position</b>	Rear right	Rear right		Rear right	Rear right	Rear right
<b>LPG convertible</b>	Yes	Yes		Yes	Yes	Yes
<b>Hard wired</b>	Yes	Yes	Yes		Yes	Yes
<b>Electrical connection</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>Supply voltage</b>	240V	240V	240V	240V	240V	240V
<b>Total electrical power load</b>	8.98kW	8.98kW	16.38kW	3.13kW	8.13kW	8.13kW
<b>Total gas power load</b>	12kW	13kW		16.9kW	15kW	18kW
<b>Fuse size</b>	32A	32A	32A	13A	32A	32A
<b>Dimensions – packed</b>	1045mmH x 1045mmW x 740mmD 104.45kg	1045mmH x 1045mmW x 740mmD 96.25kg	1045mmH x 1045mmW x 740mmD 92.4kg	1045mmH x 1045mmW x 740mmD 97.95kg	1045mmH x 1130mmW x 740mmD 105.6kg	1045mmH x 1130mmW x 740mmD 111.35kg
<b>Dimensions – product</b>	900-930mmH x 896mmW x 600mmD 97.45kg	900-930mmH x 896mmW x 600mmD 89.25kg	900-930mmH x 896mmW x 600mmD 85.4kg	900-930mmH x 896mmW x 600mmD 91kg	900-930mmH x 996mmW x 600mmD 98.6kg	900-930mmH x 996mmW x 600mmD 104.35kg
<b>Black SKU code</b>	444444897	444444899	444444905	444444903	444444907	444444909
<b>Classic Cream SKU code</b>	444444898	444444900	444444906	444444904	444444908	444444910
<b>Anthracite SKU code</b>	444410264	444410271	444410285	444410278	444410292	444410299

**RICHMOND DELUXE RANGE COOKER COLLECTION TECHNICAL SPECIFICATION**

Richmond Deluxe S100EI	Richmond Deluxe S100G	Richmond Deluxe S1100DF	Richmond Deluxe S1100DF GTG	Richmond Deluxe S1100EI	Richmond Deluxe S1100G
<p>Top right position Second oven Electric fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 64 actual / 57 litre usable capacity Usable cavity dimensions: 350mmH x 420mmW x 395mmD Power: 2.0Kwh Consumption: 0.67Kwh (Forced air) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door</p>	<p>Top right position Second oven Gas Conventional Oven A energy rating 64 actual / 59 litre usable capacity Usable cavity dimensions: 350mmH x 420mmW x 315mmD Power: 2.5Kwh Consumption: 1.5Kwh (Conventional) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door</p>	<p>Top right position Second oven Electric fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 71 actual / 64 litre usable capacity Usable cavity dimensions: 350mmH x 470mmW x 395mmD Power: 2.0Kwh Consumption: 0.75Kwh (Forced air) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 467mmW x 357mmD Halogen light Easy clean enamel interior Side opening door</p>	<p>Top right position Second oven Electric fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 71 actual / 64 litre usable capacity Usable cavity dimensions: 350mmH x 470mmW x 395mmD Power: 2.0Kwh Consumption: 0.75Kwh (Forced air) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 467mmW x 357mmD Halogen light Easy clean enamel interior Side opening door</p>	<p>Top right position Second oven Electric fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 71 actual / 64 litre usable capacity Usable cavity dimensions: 350mmH x 470mmW x 395mmD Power: 2.0Kwh Consumption: 0.75Kwh (Forced air) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 467mmW x 357mmD Halogen light Easy clean enamel interior Side opening door</p>	<p>Top right position Second oven Gas Conventional Oven A energy rating 71 actual / 66 litre usable capacity Usable cavity dimensions: 350mmH x 470mmW x 315mmD Power: 2.5Kwh Consumption: 1.79Kwh (Conventional) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 407mmW x 307mmD Halogen light Easy clean enamel interior Side opening door</p>
<p>Bottom right position Fourth oven Electric slow cooker Slow cook function 37 actual / 37 litre usable capacity Usable cavity dimensions: 200mmH x 420mmW x 430mmD Power: 0.16Kwh Drop-down door</p>	<p>Bottom right position Fourth oven Electric slow cooker Slow cook function 37 actual / 37 litre usable capacity Usable cavity dimensions: 200mmH x 420mmW x 430mmD Power: 0.16Kwh Drop-down door</p>	<p>Bottom right position Fourth oven Electric slow cooker Slow cook function 41 actual / 41 litre usable capacity Usable cavity dimensions: 200mmH x 470mmW x 430mmD Power: 0.16Kwh Drop-down door</p>	<p>Bottom right position Fourth oven Electric slow cooker Slow cook function 41 actual / 41 litre usable capacity Usable cavity dimensions: 200mmH x 470mmW x 430mmD Power: 0.16Kwh Drop-down door</p>	<p>Bottom right position Fourth oven Electric slow cooker Slow cook function 41 actual / 41 litre usable capacity Usable cavity dimensions: 200mmH x 470mmW x 430mmD Power: 0.16Kwh Drop-down door</p>	<p>Bottom right position Fourth oven Electric slow cooker Slow cook function 41 actual / 41 litre usable capacity Usable cavity dimensions: 200mmH x 470mmW x 430mmD Power: 0.16Kwh Drop-down door</p>
Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes
Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2
Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2
Yes, 1	Yes, 1	Yes, 1	Yes, 1	Yes, 1	Yes, 1
		Yes	Yes		
Shelves Telescopic shelves Shelf guides	Hob burners Pan supports Shelves Telescopic shelves Shelf guides Nat Gas 1/2" BSP female	Hob burners Pan supports Shelves Telescopic shelves Shelf guides Nat Gas 1/2" BSP female	Hob burners Pan supports Shelves Telescopic shelves Shelf guides Nat Gas 1/2" BSP female	Shelves Telescopic shelves Shelf guides	Hob burners Pan supports Shelves Telescopic shelves Shelf guides Nat Gas 1/2" BSP female
	Rear right	Rear right	Rear right		Rear right
Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes
240V	240V	240V	240V	240V	240V
15.53kW	2.98kW	8.13kW	8.13kW	15.53kW	2.98kW
	21.7kW	15kW	18kW		21.7kW
32A	13A	32A	32A	32A	13A
1045mmH x 1130mmW x 740mmD 96.5kg	1045mmH x 1130mmW x 740mmD 100.15kg	1045mmH x 1230mmW x 740mmD 114.5kg	1045mmH x 1230mmW x 740mmD 121kg	1045mmH x 1230mmW x 740mmD 99.9kg	1045mmH x 1230mmW x 740mmD 108.7kg
900-930mmH x 996mmW x 600mmD 89.5kg	900-930mmH x 996mmW x 600mmD 93.15kg	900-930mmH x 1096mmW x 600mmD 107.5kg	900-930mmH x 1096mmW x 600mmD 114kg	900-930mmH x 91096mmW x 600mmD 92.9kg	900-930mmH x 1096mmW x 600mmD 101.7kg
444444915	444444913	444444917	444444919	444444925	444444923
444444916	444444914	444444918	444444920	444444926	444444924
444410313	444410306	444410305	444410256	444410257	444410805

**RICHMOND RANGE COOKER COLLECTION TECHNICAL SPECIFICATION**

Product name	Richmond S900DF	Richmond S900EI	Richmond S900G	Richmond S1000DF	Richmond S1000EI	Richmond S1000G
<b>Product description</b>	900mm Dual Fuel Range Cooker	900mm Induction Range Cooker	900mm Gas Range Cooker	1000mm Dual Fuel Range Cooker	1000mm Induction Range Cooker	1000mm Gas Range Cooker
<b>Fuel</b>	Dual Fuel	Electric	Gas	Dual Fuel	Electric	Gas
<b>Number of ovens</b>	3	3	2	4	4	4
<b>Warranty period</b>	5 Year Parts & 1 Year Labour	5 Year Parts & 1 Year Labour	5 Year Parts & 1 Year Labour	5 Year Parts & 1 Year Labour	5 Year Parts & 1 Year Labour	5 Year Parts & 1 Year Labour
<b>Hob</b>	5 Gas Burners Medium (2.0kW) Small (1.0kW) Wok (4.0kW) Large (3.0kW) Medium (2.0kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)	5 Induction Zones Medium Induction (1.6 - 3.0kW) Medium Induction (1.6 - 3.0kW) Large Induction (2.3 - 3.7kW) Small Induction (1.15 - 2.2kW) Medium Induction (1.4 - 3.0kW) Individual residual Heat Indicators Touch Controls (Hotplate) Digital power display 10 power levels (incl. boost) Keep warm function Pan detection Pan overheat detection Child lock Boost function 3 presets (melt/sauce, keep warm, rapid simmer) Auto heat up Auto stand by Minute minder Timer function Easy clean ceramic glass surface	5 gas burners Medium (2kW) Small (1kW) Wok burner (4kW) Large (3kW) Medium (2kW) Cast iron pan supports Auto ignition Thermocouples (Flame safety device)	7 Gas Burners Small (1.0kW) Medium (2.0kW) Medium (2.0kW) Small (1.0kW) Wok (4.0kW) Large (3.0kW) Medium (2.0kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)	5 Induction Zones Medium Induction (1.6 - 3.0kW) Medium Induction (1.6 - 3.0kW) Large Induction (2.3 - 3.7kW) Small Induction (1.15 - 2.2kW) Medium Induction (1.4 - 3.0kW) Individual residual Heat Indicators Touch Controls (Hotplate) Digital power display 10 power levels (incl. boost) Keep warm function Pan detection Pan overheat detection Child lock Boost function 3 presets (melt/sauce, keep warm, rapid simmer) Auto heat up Auto stand by Minute minder Timer function Easy clean ceramic glass surface	7 Gas Burners Small (1.0kW) Medium (2.0kW) Medium (2.0kW) Small (1.0kW) Wok (4.0kW) Large (3.0kW) Medium (2.0kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)
<b>Cavity 1</b>	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 37 actual / 31 litre usable capacity Usable cavity dimensions: 180mmH x 420mmW x 430mmD Power: 1.4Kwh (Oven), 2.7Kwh (Grill) Consumption: 0.59Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 407mmW x 357mmD Drop-down door	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 37 actual / 31 litre usable capacity Usable cavity dimensions: 180mmH x 420mmW x 430mmD Power: 1.4Kwh (Oven), 2.7Kwh (Grill) Consumption: 0.59Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 407mmW x 357mmD Drop-down door	Top left position Gas grill Conventional electric oven Usable cavity dimensions: 180mmH x 420mmW x 430mmD Power: 2.4Kwh 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 407mmW x 307mmD Drop-down door	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 37 actual / 31 litre usable capacity Usable cavity dimensions: 180mmH x 420mmW x 430mmD Power: 1.4Kwh (Oven), 2.7Kwh (Grill) Consumption: 0.59Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 407mmW x 357mmD Drop-down door	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 37 actual / 31 litre usable capacity Usable cavity dimensions: 180mmH x 420mmW x 430mmD Power: 1.4Kwh (Oven), 2.7Kwh (Grill) Consumption: 0.59Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 407mmW x 357mmD Drop-down door	Top left position Third oven Conventional oven & grill 2 functions: Fixed rate dual circuit electric grill Conventional gas oven A+ energy rating 37 actual / 24 litre usable capacity Usable cavity dimensions: 180mmH x 420mmW x 430mmD Power: 1.7Kwh (Oven), 2.7Kwh (Grill) Consumption: 0.90Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 407mmW x 307mmD Drop-down door
<b>Cavity 2</b>	Bottom left position Main oven Electric multifunction oven Programmable oven 11 functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 64 actual / 54 litre usable capacity Usable cavity dimensions: 325mmH x 420mmW x 395mmD Power: 2.0Kwh (Oven), 1.7Kwh (Grill) Consumption: 0.73Kwh (Forced air) 0.76Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Electric multifunction oven Programmable oven 11 functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 64 actual / 54 litre usable capacity Usable cavity dimensions: 325mmH x 420mmW x 395mmD Power: 2.0Kwh (Oven), 1.7Kwh (Grill) Consumption: 0.73Kwh (Forced air) 0.76Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Gas conventional oven Programmable oven A energy rating 64 actual / 64 litre usable capacity Usable cavity dimensions: 325mmH x 420mmW x 315mmD Power: 2.5Kwh Consumption: 1.50Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 407mmW x 307mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Electric multifunction oven Programmable oven 11 functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 64 actual / 54 litre usable capacity Usable cavity dimensions: 325mmH x 420mmW x 395mmD Power: 2.0Kwh (Oven), 1.7Kwh (Grill) Consumption: 0.73Kwh (Forced air) 0.76Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Electric multifunction oven Programmable oven 11 functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 64 actual / 54 litre usable capacity Usable cavity dimensions: 325mmH x 420mmW x 395mmD Power: 2.0Kwh (Oven), 1.7Kwh (Grill) Consumption: 0.73Kwh (Forced air) 0.76Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Gas conventional oven Programmable oven A energy rating 64 actual / 59 litre usable capacity Usable cavity dimensions: 325mmH x 420mmW x 315mmD Power: 2.5Kwh Consumption: 1.50Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 407mmW x 307mmD Halogen light Easy clean enamel interior Side opening door Viewing window

\*With Proflex Splitter. \*Included in Thermostat Settings



RICHMOND RANGE COOKER COLLECTION TECHNICAL SPECIFICATION

Richmond S1100DF	Richmond S1100EI	Richmond S1100G
1100mm Dual Fuel Range Cooker	1100mm Induction Range Cooker	1100mm Gas Range Cooker
Dual Fuel	Electric	Gas
4	4	4
5 Year Parts & 1 Year Labour	5 Year Parts & 1 Year Labour	5 Year Parts & 1 Year Labour
7 Gas Burners Small (1.0kW) Medium (2.0kW) Medium (2.0kW) Small (1.0kW) Wok (4.0kW) Large (3.0kW) Medium (2.0kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)	5 Induction Zones Medium Induction (1.6 - 3.0kW) Medium Induction (1.6 - 3.0kW) Large Induction (2.3 - 3.7kW) Small Induction (1.15 - 2.2kW) Medium Induction (1.4 - 3.0kW) Individual residual Heat Indicators Touch Controls (Hotplate) Digital power display 10 power levels (incl. boost) Keep warm function Pan detection Pan overheat detection Child lock Boost function 3 presets (melt/sauce, keep warm, rapid simmer) Auto heat up Auto stand by Minute minder Timer function Easy clean ceramic glass surface	7 Gas Burners Small (1.0kW) Medium (2.0kW) Medium (2.0kW) Small (1.0kW) Wok (4.0kW) Large (3.0kW) Medium (2.0kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)
Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 41 actual / 35 litre usable capacity Usable cavity dimensions: 180mmH x 470mmW x 430mmD Power: 1.4Kwh (Oven), 2.7Kwh (Grill) Consumption: 0.66Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 467mmW x 357mmD Drop-down door	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 41 actual / 35 litre usable capacity Usable cavity dimensions: 180mmH x 470mmW x 430mmD Power: 1.4Kwh (Oven), 2.7Kwh (Grill) Consumption: 0.66Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 467mmW x 357mmD Drop-down door	Top left position Third oven Conventional oven & grill 2 functions: Fixed rate dual circuit electric grill Conventional gas oven A energy rating 37 actual / 27 litre usable capacity Usable cavity dimensions: 180mmH x 470mmW x 430mmD Power: 1.7Kwh (Oven), 2.7Kwh (Grill) Consumption: 1.30Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 467mmW x 307mmD Drop-down door
Bottom left position Main oven Electric multifunction oven Programmable oven 11 functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 64 actual / 54 litre usable capacity Usable cavity dimensions: 325mmH x 470mmW x 395mmD Power: 2.0Kwh (Oven), 1.7Kwh (Grill) Consumption: 0.71Kwh (Forced air) 0.79Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 467mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Electric multifunction oven Programmable oven 11 functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 64 actual / 54 litre usable capacity Usable cavity dimensions: 325mmH x 470mmW x 395mmD Power: 2.0Kwh (Oven), 1.7Kwh (Grill) Consumption: 0.71Kwh (Forced air) 0.79Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 467mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Gas conventional oven Programmable oven A energy rating 71 actual / 66 litre usable capacity Usable cavity dimensions: 325mmH x 470mmW x 315mmD Power: 2.5Kwh Consumption: 1.80Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 467mmW x 307mmD Halogen light Easy clean enamel interior Side opening door Viewing window

CONTINUED  
OVERLEAF

**RICHMOND RANGE COOKER COLLECTION TECHNICAL SPECIFICATION**

Product name	Richmond S900DF	Richmond S900EI	Richmond S900G	Richmond S1000DF	Richmond S1000EI	Richmond S1000G
<b>Cavity 3</b>	Right position Second oven Electric tall fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 94 actual / 87 litre usable capacity Usable cavity dimensions: 620mmH x 350mmW x 395mmD Power: 2.5Kwh Consumption: 0.81Kwh (Forced air) 3 shelves, 8 shelf positions 8 telescopic shelf positions Usable area of shelves: 339mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Door thermometer	Right position Second oven Electric tall fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 94 actual / 87 litre usable capacity Usable cavity dimensions: 620mmH x 350mmW x 395mmD Power: 2.5Kwh Consumption: 0.81Kwh (Forced air) 3 shelves, 8 shelf positions 8 telescopic shelf positions Usable area of shelves: 339mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Door thermometer	Right position Second oven Electric tall fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 94 actual / 87 litre usable capacity Usable cavity dimensions: 620mmH x 350mmW x 395mmD Power: 2.5Kwh Consumption: 0.94Kwh (Forced air) 3 shelves, 8 shelf positions 8 telescopic shelf positions Usable area of shelves: 339mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Door thermometer	Top right position Second oven Electric fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 64 actual / 57 litre usable capacity Usable cavity dimensions: 350mmH x 420mmW x 395mmD Power: 2.0Kwh Consumption: 0.67Kwh (Forced air) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door	Top right position Second oven Electric fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 64 actual / 57 litre usable capacity Usable cavity dimensions: 350mmH x 420mmW x 395mmD Power: 2.0Kwh Consumption: 0.67Kwh (Forced air) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door	Top right position Second oven Gas conventional oven A energy rating 64 actual / 59 litre usable capacity Usable cavity dimensions: 350mmH x 420mmW x 315mmD Power: 2.5Kwh Consumption: 1.5Kwh (Conventional) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing Window
<b>Cavity 4</b>				Bottom right position Fourth oven Electric slow cooker Slow cook function 37 actual / 37 litre usable capacity Usable cavity dimensions: 200mmH x 420mmW x 430mmD Power: 0.16Kwh Drop-down door	Bottom right position Fourth oven Electric slow cooker Slow cook function 37 actual / 37 litre usable capacity Usable cavity dimensions: 200mmH x 420mmW x 430mmD Power: 0.16Kwh Drop-down door	Bottom right position Fourth oven Electric slow cooker Slow cook function 37 actual / 37 litre usable capacity Usable cavity dimensions: 200mmH x 420mmW x 430mmD Power: 0.16Kw Drop-down door
<b>Fascia cooling system</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>Zeus Bluetooth Connected Timer</b>						
<b>Proflex Splitter</b>						
<b>Adjustable feet</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>Rear wheels</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>Removable cast griddle plate</b>	Yes		Yes	Yes		Yes
<b>Wok cradle</b>						
<b>Steam &amp; Infuse</b>						
<b>Full width oven pan – deep</b>	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2
<b>Full width oven pan – reversible trivet</b>	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2
<b>Oven/grill pan handle</b>	Yes, 2	Yes, 2	Yes, 2	Yes, 1	Yes, 1	Yes, 1
<b>LPG conversion kit (available separately)</b>	Yes		No	Yes		No
<b>Removable parts (for cleaning)</b>	Hob burners Pan supports Shelves Telescopic shelves Shelf guides	Shelves Telescopic shelves Shelf guides	Hob burners Pan supports Shelves Telescopic shelves Shelf guides	Hob burners Pan supports Shelves Telescopic shelves Shelf guides	Shelves Telescopic shelves Shelf guides	Hob burners Pan supports Shelves Telescopic shelves Shelf guides
<b>Gas type</b>	Nat Gas		Nat Gas	Nat Gas		Nat Gas
<b>Gas inlet type</b>	1/2" BSP female		1/2" BSP female	1/2" BSP female		1/2" BSP female
<b>Gas inlet position</b>	Rear right		Rear right	Rear right		Rear right
<b>LPG convertible</b>	Yes		No	Yes		No
<b>Hard wired</b>	Yes	Yes	No	Yes	Yes	No
<b>Electrical connection</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>Supply voltage</b>	240V	240V	240V	240V	240V	240V
<b>Total electrical power load</b>	8.45kW	15.85kW	3.13kW	8.13kW	15.53kW	2.98kW
<b>Total gas power load</b>	12kW		16.8kW	12kW		21.7kW
<b>Fuse size</b>	32A	32A	13A	32A	32A	13A
<b>Dimensions – packed</b>	1045mmH x 1045mmW x 740mmD 101.2kg	1045mmH x 1045mmW x 740mmD 89.6kg	1045mmH x 1045mmW x 740mmD 97.95kg	1045mmH x 1130mmW x 740mmD 104.2kg	1045mmH x 1130mmW x 740mmD 95.8kg	1045mmH x 1130mmW x 740mmD 100.15kg
<b>Dimensions – product</b>	900-930mmH x 896mmW x 600mmD 94.2kg	900-930mmH x 896mmW x 600mmD 82.6kg	900-930mmH x 896mmW x 600mmD 90.95kg	900-930mmH x 996mmW x 600mmD 97.2kg	900-930mmH x 996mmW x 600mmD 88.8kg	900-930mmH x 996mmW x 600mmD 93.15kg
<b>Black SKU code</b>	444444435	444444445	444410797	444444451	444444460	444410800
<b>Classic Cream SKU code</b>	444444436	444444446	444410798	444444452	444444461	444410801
<b>Anthracite SKU code</b>	444410252	444410253	444410799	444410254	444410255	444410802

**RICHMOND RANGE COOKER COLLECTION TECHNICAL SPECIFICATION**

Richmond S110DF	Richmond S110EI	Richmond S110G
Top right position Second oven Electric fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 71 actual / 64 litre usable capacity Usable cavity dimensions: 350mmH x 470mmW x 395mmD Power: 2.0Kwh Consumption: 0.75Kwh (Forced air) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 467mmW x 357mmD Halogen light Easy clean enamel interior Side opening door	Top right position Second oven Electric fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 71 actual / 64 litre usable capacity Usable cavity dimensions: 350mmH x 470mmW x 395mmD Power: 2.0Kwh Consumption: 0.75Kwh (Forced air) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 467mmW x 357mmD Halogen light Easy clean enamel interior Side opening door	Top right position Second oven Gas conventional oven A energy rating 71 actual / 66 litre usable capacity Usable cavity dimensions: 350mmH x 470mmW x 315mmD Power: 2.5Kwh Consumption: 1.80Kwh (Conventional) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 407mmW x 307mmD Halogen light Easy clean enamel interior Side opening door Viewing Window
Bottom right position Fourth oven Electric slow cooker Slow cook function 41 actual / 41 litre usable capacity Usable cavity dimensions: 200mmH x 470mmW x 430mmD Power: 0.16Kwh Drop-down door	Bottom right position Fourth oven Electric slow cooker Slow cook function 41 actual / 41 litre usable capacity Usable cavity dimensions: 200mmH x 470mmW x 430mmD Power: 0.16Kwh Drop-down door	Bottom right position Fourth oven Electric slow cooker Slow cook function 41 actual / 41 litre usable capacity Usable cavity dimensions: 200mmH x 470mmW x 430mmD Power: 0.16Kwh Drop-down door
Yes	Yes	Yes
Yes	Yes	Yes
Yes	Yes	Yes
Yes		Yes
Yes, 2	Yes, 2	Yes, 2
Yes, 2	Yes, 2	Yes, 2
Yes, 1	Yes, 1	Yes, 1
Yes		No
Hob burners Pan supports Shelves Telescopic shelves Shelf guides Nat Gas	Shelves Telescopic shelves Shelf guides	Hob burners Pan supports Shelves Telescopic shelves Shelf guides Nat Gas
1/2" BSP female		1/2" BSP female
Rear right		Rear right
Yes		No
Yes	Yes	No
Yes	Yes	Yes
240V	240V	240V
8.13kW	15.53kW	2.98kW
12kW		21.7kW
32A	32A	13A
1045mmH x 1230mmW x 740mmD 113.3kg	1045mmH x 1230mmW x 740mmD 99.2kg	1045mmH x 1230mmW x 740mmD 108.7kg
900-930mmH x 1096mmW x 600mmD 106.3kg	900-930mmH x 1096mmW x 600mmD 92.2kg	900-930mmH x 1096mmW x 600mmD 101.7kg
444444466	444444475	444410803
444444467	444444476	444410804
444410256	444410257	444410805

**STERLING DELUXE RANGE COOKER COLLECTION TECHNICAL SPECIFICATION**

Product name	Sterling Deluxe S900DF	Sterling Deluxe S900DF GTG	Sterling Deluxe S900EI	Sterling Deluxe S900G	Sterling Deluxe S1000DF	Sterling Deluxe S1000DF GTG
<b>Product description</b>	900mm Dual Fuel Range Cooker	900mm Dual Fuel Gas-Through-Glass Range Cooker	900mm Induction Range Cooker	900mm Gas Range Cooker	1000mm Dual Fuel Range Cooker	1000mm Dual Fuel Gas-Through-Glass Range Cooker
<b>Fuel</b>	Dual Fuel	Dual Fuel	Electric	Gas	Dual Fuel	Dual Fuel
<b>Number of ovens</b>	4†	4†	4†	3†	4	4
<b>Warranty period</b>	5 Year Parts & 1 Year Labour	5 Year Parts & 1 Year Labour	5 Year Parts & 1 Year Labour	5 Year Parts & 1 Year Labour	5 Year Parts & 1 Year Labour	5 Year Parts & 1 Year Labour
<b>Hob</b>	5 Gas Burners Medium (2.0kW) Small (1.0kW) Wok (4.0kW) Large (3.0kW) Medium (2.0kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)	5 Gas Burners Large (3.0kW) Medium (2.0kW) Small (1.0kW) Medium (2.0kW) Wok (5.0kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)	5 Induction Zones Medium Induction (1.6 - 3.0kW) Medium Induction (1.6 - 3.0kW) Large Induction (2.3 - 3.7kW) Small Induction (1.15 - 2.2kW) Medium Induction (1.4 - 3.0kW) Individual residual Heat Indicators Touch Controls (Hotplate) Digital power display 10 power levels (incl. boost) Keep warm function Pan detection Pan overheat detection Child lock Boost function 3 presets (melt/sauce, keep warm, rapid simmer) Auto heat up Auto stand by Minute minder Timer function Easy clean ceramic glass surface	5 Gas Burners Medium (2.0kW) Small (1.0kW) Wok (4.0kW) Large (3.0kW) Medium (2.0kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)	7 Gas Burners Small (1.0kW) Medium (2.0kW) Medium (2.0kW) Small (1.0kW) Wok (4.0kW) Large (3.0kW) Medium (2.0kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)	6 Gas Burners Wok (5.0kW) Medium (2.0kW) Large (3.0kW) Small (1.0kW) Medium (2.0kW) Wok (5.0kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)
<b>Cavity 1</b>	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 37 actual / 31 litre usable capacity Usable cavity dimensions: 180mmH x 420mmW x 430mmD Power: 1.4Kwh (Oven), 2.7Kwh (Grill) Consumption: 0.67Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 407mmW x 357mmD Drop-down door	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 37 actual / 31 litre usable capacity Usable cavity dimensions: 180mmH x 420mmW x 430mmD Power: 1.4Kwh (Oven), 2.7Kwh (Grill) Consumption: 0.67Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 407mmW x 357mmD Drop-down door	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 37 actual / 31 litre usable capacity Usable cavity dimensions: 180mmH x 420mmW x 430mmD Power: 1.4Kwh (Oven), 2.7Kwh (Grill) Consumption: 0.67Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 407mmW x 357mmD Drop-down door	Top left position Gas grill 37 actual / 35 litre usable capacity Usable cavity dimensions: 180mmH x 420mmW x 430mmD Power: 2.4Kwh 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 407mmW x 307mmD Drop-down door	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 37 actual / 31 litre usable capacity Usable cavity dimensions: 180mmH x 420mmW x 430mmD Power: 1.4Kwh (Oven), 2.7Kwh (Grill) Consumption: 0.67Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 407mmW x 357mmD Drop-down door	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 37 actual / 31 litre usable capacity Usable cavity dimensions: 180mmH x 420mmW x 430mmD Power: 1.4Kwh (Oven), 2.7Kwh (Grill) Consumption: 0.67Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 407mmW x 357mmD Drop-down door
<b>Cavity 2</b>	Bottom left position Main oven Electric multifunction oven Programmable oven 11 functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 64 actual / 54 litre usable capacity Usable cavity dimensions: 325mmH x 420mmW x 395mmD Power: 2.0Kwh (Oven), 1.7Kwh (Grill) Consumption: 0.73Kwh (Forced air) 0.77Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Electric multifunction oven Programmable oven 11 functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 64 actual / 54 litre usable capacity Usable cavity dimensions: 325mmH x 420mmW x 395mmD Power: 2.0Kwh (Oven), 1.7Kwh (Grill) Consumption: 0.73Kwh (Forced air) 0.77Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Electric multifunction oven Programmable oven 11 functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 64 actual / 54 litre usable capacity Usable cavity dimensions: 325mmH x 420mmW x 395mmD Power: 2.0Kwh (Oven), 1.7Kwh (Grill) Consumption: 0.73Kwh (Forced air) 0.77Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Gas conventional oven Programmable oven A energy rating 64 actual / 59 litre usable capacity Usable cavity dimensions: 325mmH x 420mmW x 315mmD Power: 2.5Kwh Consumption: 1.70Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 407mmW x 307mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Electric multifunction oven Programmable oven 11 functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 64 actual / 54 litre usable capacity Usable cavity dimensions: 325mmH x 420mmW x 395mmD Power: 2.0Kwh (Oven), 1.7Kwh (Grill) Consumption: 0.73Kwh (Forced air) 0.77Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Electric multifunction oven Programmable oven 11 functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 64 actual / 54 litre usable capacity Usable cavity dimensions: 325mmH x 420mmW x 395mmD Power: 2.0Kwh (Oven), 1.7Kwh (Grill) Consumption: 0.73Kwh (Forced air) 0.76Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window

†With Proflex Splitter. \*Included in Thermostat Settings

STERLING DELUXE RANGE COOKER COLLECTION TECHNICAL SPECIFICATION

Sterling Deluxe S1000EI	Sterling Deluxe S1000G	Sterling Deluxe S1100DF	Sterling Deluxe S1100DF GTG	Sterling Deluxe S1100EI	Sterling Deluxe S1100G
1000mm Induction Range Cooker	1000mm Gas Range Cooker	1100mm Dual Fuel Range Cooker	1100mm Dual Fuel Gas-Through-Glass Range Cooker	1100mm Induction Range Cooker	1100mm Gas Range Cooker
Electric	Gas	Dual Fuel	Dual Fuel	Electric	Gas
4	4	4	4	4	4
5 Year Parts & 1 Year Labour	5 Year Parts & 1 Year Labour	5 Year Parts & 1 Year Labour	5 Year Parts & 1 Year Labour	5 Year Parts & 1 Year Labour	5 Year Parts & 1 Year Labour
5 Induction Zones Medium Induction (1.6 - 3.0kW) Medium Induction (1.6 - 3.0kW) Large Induction (2.3 - 3.7kW) Small Induction (1.15 - 2.2kW) Medium Induction (1.4 - 3.0kW) Individual residual Heat Indicators Touch Controls (Hotplate) Digital power display 10 power levels (incl. boost) Keep warm function Pan detection Pan overheat detection Child lock Boost function 3 presets (melt/sauce, keep warm, rapid simmer) Auto heat up Auto stand by Minute minder Timer function Easy clean ceramic glass surface	7 Gas Burners Small (1.0kW) Medium (2.0kW) Medium (2.0kW) Small (1.0kW) Wok (4.0kW) Large (3.0kW) Medium (2.0kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)	7 Gas Burners Small (1.0kW) Medium (2.0kW) Medium (2.0kW) Small (1.0kW) Wok (4.0kW) Large (3.0kW) Medium (2.0kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)	6 Gas Burners Wok (5.0kW) Medium (2.0kW) Large (3.0kW) Small (1.0kW) Medium (2.0kW) Wok (5.0kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)	5 Induction Zones Medium Induction (1.6 - 3.0kW) Medium Induction (1.6 - 3.0kW) Large Induction (2.3 - 3.7kW) Small Induction (1.15 - 2.2kW) Medium Induction (1.4 - 3.0kW) Individual residual Heat Indicators Touch Controls (Hotplate) Digital power display 10 power levels (incl. boost) Keep warm function Pan detection Pan overheat detection Child lock Boost function 3 presets (melt/sauce, keep warm, rapid simmer) Auto heat up Auto stand by Minute minder Timer function Easy clean ceramic glass surface	7 Gas Burners Small (1.0kW) Medium (2.0kW) Medium (2.0kW) Small (1.0kW) Wok (4.0kW) Large (3.0kW) Medium (2.0kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)
Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 37 actual / 31 litre usable capacity Usable cavity dimensions: 180mmH x 420mmW x 430mmD Power: 1.4Kwh (Oven), 2.7Kwh (Grill) Consumption: 0.67Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 407mmW x 357mmD Drop-down door	Top left position Third oven Gas & electric conventional oven and grill 2 functions: Fixed rate dual circuit electric grill Conventional gas oven A+ energy rating 37 actual / 24 litre usable capacity Usable cavity dimensions: 180mmH x 420mmW x 430mmD Power: 1.7Kwh (Oven), 2.7Kwh (Grill) Consumption: 0.92Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 407mmW x 307mmD Drop-down door	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 41 actual / 35 litre usable capacity Usable cavity dimensions: 180mmH x 470mmW x 430mmD Power: 1.4Kwh (Oven), 2.7Kwh (Grill) Consumption: 0.66Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 467mmW x 357mmD Drop-down door	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 41 actual / 35 litre usable capacity Usable cavity dimensions: 180mmH x 470mmW x 430mmD Power: 1.4Kwh (Oven), 2.7Kwh (Grill) Consumption: 0.66Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 467mmW x 357mmD Drop-down door	Top left position Third oven Electric conventional oven and grill 2 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 41 actual / 35 litre usable capacity Usable cavity dimensions: 180mmH x 470mmW x 430mmD Power: 1.4Kwh (Oven), 2.7Kwh (Grill) Consumption: 0.66Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 467mmW x 357mmD Drop-down door	Top left position Third oven Gas & electric conventional oven and grill 2 functions: Fixed rate dual circuit electric grill Conventional gas oven A energy rating 37 actual / 27 litre usable capacity Usable cavity dimensions: 180mmH x 470mmW x 430mmD Power: 1.7Kwh (Oven), 2.7Kwh (Grill) Consumption: 1.33Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 467mmW x 307mmD Drop-down door
Bottom left position Main oven Electric multifunction oven Programmable oven 11 functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 64 actual / 54 litre usable capacity Usable cavity dimensions: 325mmH x 420mmW x 395mmD Power: 2.0Kwh (Oven), 1.7Kwh (Grill) Consumption: 0.77Kwh (Forced air) 0.76Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Gas conventional oven Programmable oven A energy rating 62 actual / 59 litre usable capacity Usable cavity dimensions: 325mmH x 420mmW x 315mmD Power: 2.5Kwh Consumption: 1.49Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 407mmW x 307mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Electric multifunction oven Programmable oven 11 functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 71 actual / 60 litre usable capacity Usable cavity dimensions: 325mmH x 470mmW x 395mmD Power: 2.0Kwh (Oven), 1.7Kwh (Grill) Consumption: 0.76Kwh (Forced air) 0.81Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 467mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Electric multifunction oven Programmable oven 11 functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 71 actual / 60 litre usable capacity Usable cavity dimensions: 325mmH x 470mmW x 395mmD Power: 2.0Kwh (Oven), 1.7Kwh (Grill) Consumption: 0.76Kwh (Forced air) 0.81Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 467mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Electric multifunction oven Programmable oven 11 functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 71 actual / 60 litre usable capacity Usable cavity dimensions: 325mmH x 470mmW x 395mmD Power: 2.0Kwh (Oven), 1.7Kwh (Grill) Consumption: 0.76Kwh (Forced air) 0.81Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 467mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Gas conventional oven Programmable oven A energy rating 62 actual / 59 litre usable capacity Usable cavity dimensions: 325mmH x 470mmW x 315mmD Power: 2.5Kwh Consumption: 1.79Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 467mmW x 307mmD Halogen light Easy clean enamel interior Side opening door Viewing window

STERLING DELUXE RANGE COOKER COLLECTION TECHNICAL SPECIFICATION

Product name	Sterling Deluxe S900DF	Sterling Deluxe S900DF GTG	Sterling Deluxe S900EI	Sterling Deluxe S900G	Sterling Deluxe S1000DF	Sterling Deluxe S1000DF GTG
<b>Cavity 3</b>	Right position Second oven Electric tall split fanned oven/grill 5 functions: Fixed rate electric grill Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 94 actual / 79 litre usable capacity Usable cavity dimensions: 620mmH x 350mmW x 395mmD Power: 2.5Kwh Consumption: 0.94Kwh (Forced air) 3 shelves, 8 shelf positions 8 telescopic shelf positions Usable area of shelves: 339mmW x 357mmD Halogen light Easy clean enamel interior Side opening door	Right position Second oven Electric tall split fanned oven/grill 5 functions: Fixed rate electric grill Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 94 actual / 79 litre usable capacity Usable cavity dimensions: 620mmH x 350mmW x 395mmD Power: 2.5Kwh Consumption: 0.94Kwh (Forced air) 3 shelves, 8 shelf positions 8 telescopic shelf positions Usable area of shelves: 339mmW x 357mmD Halogen light Easy clean enamel interior Side opening door	Right position Second oven Electric tall split fanned oven/grill 5 functions: Fixed rate electric grill Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 94 actual / 79 litre usable capacity Usable cavity dimensions: 620mmH x 350mmW x 395mmD Power: 2.5Kwh Consumption: 0.94Kwh (Forced air) 3 shelves, 8 shelf positions 8 telescopic shelf positions Usable area of shelves: 339mmW x 357mmD Halogen light Easy clean enamel interior Side opening door	Right position Second oven Electric tall split fanned oven/grill 5 functions: Fixed rate electric grill Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 94 actual / 79 litre usable capacity Usable cavity dimensions: 620mmH x 350mmW x 395mmD Power: 2.5Kwh Consumption: 0.94Kwh (Forced air) 3 shelves, 8 shelf positions 8 telescopic shelf positions Usable area of shelves: 339mmW x 357mmD Halogen light Easy clean enamel interior Side opening door	Top right position Second oven Electric fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 64 actual / 57 litre usable capacity Usable cavity dimensions: 350mmH x 420mmW x 395mmD Power: 2.0Kwh Consumption: 0.66Kwh (Forced air) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door	Top right position Second oven Electric fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 64 actual / 57 litre usable capacity Usable cavity dimensions: 350mmH x 420mmW x 395mmD Power: 2.0Kwh Consumption: 0.66Kwh (Forced air) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door
<b>Cavity 4</b>					Bottom right position Fourth oven Electric slow cooker Slow cook function 37 actual / 37 litre usable capacity Usable cavity dimensions: 200mmH x 420mmW x 430mmD Power: 0.16Kwh Drop-down door	Bottom right position Fourth oven Electric slow cooker Slow cook function 37 actual / 37 litre usable capacity Usable cavity dimensions: 200mmH x 420mmW x 430mmD Power: 0.16Kwh Drop-down door
<b>Fascia cooling system</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>Zeus Bluetooth Connected Timer</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>Proflex Splitter</b>	Yes	Yes	Yes	Yes		
<b>Adjustable feet</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>Rear wheels</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>Removable cast griddle plate</b>	Yes	Yes		Yes	Yes	Yes
<b>Wok cradle</b>	Yes	Yes		Yes	Yes	Yes, 2
<b>Steam &amp; Infuse</b>	Yes	Yes	Yes		Yes	Yes
<b>Full width oven pan – deep</b>	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2
<b>Full width oven pan – reversible trivet</b>	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2
<b>Oven/grill pan handle</b>	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 1	Yes, 1
<b>LPG conversion kit (available separately)</b>	Yes	Yes			Yes	Yes
<b>Removable parts (for cleaning)</b>	Hob burners Pan supports Shelves Telescopic shelves Shelf guides	Hob burners Pan supports Shelves Telescopic shelves Shelf guides	Shelves Telescopic shelves Shelf guides	Hob burners Pan supports Shelves Telescopic shelves Shelf guides	Hob burners Pan supports Shelves Telescopic shelves Shelf guides	Hob burners Pan supports Shelves Telescopic shelves Shelf guides
<b>Gas type</b>	Nat Gas	Nat Gas		Nat Gas	Nat Gas	Nat Gas
<b>Gas inlet type</b>	1/2" BSP female	1/2" BSP female		1/2" BSP female	1/2" BSP female	1/2" BSP female
<b>Gas inlet position</b>	Rear right	Rear right		Rear right	Rear right	Rear right
<b>LPG convertible</b>	Yes	Yes		Yes	Yes	Yes
<b>Hard wired</b>	Yes	Yes	Yes		Yes	Yes
<b>Electrical connection</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>Supply voltage</b>	240V	240V	240V	240V	240V	240V
<b>Total electrical power load</b>	8.98kW	8.98kW	16.38kW	3.13kW	8.13kW	8.13kW
<b>Total gas power load</b>	12kW	13kW		16.8kW	15kW	18kW
<b>Fuse size</b>	32A	32A	32A	13A	32A	32A
<b>Dimensions – packed</b>	1045mmH x 1045mmW x 740mmD 105.95kg	1045mmH x 1045mmW x 740mmD 97.75kg	1045mmH x 1045mmW x 740mmD 93.9kg	1045mmH x 1045mmW x 740mmD 99.45kg	1045mmH x 1130mmW x 740mmD 97.4kg	1045mmH x 1130mmW x 740mmD 112.85kg
<b>Dimensions – product</b>	900-930mmH x 896mmW x 600mmD 98.95kg	900-930mmH x 896mmW x 600mmD 90.75kg	900-930mmH x 896mmW x 600mmD 86.9kg	900-930mmH x 896mmW x 600mmD 92.45kg	900-930mmH x 996mmW x 600mmD 90.4kg	900-930mmH x 996mmW x 600mmD 105.85kg
<b>Black SKU code</b>	444444931	444444933	444444939	444444935	444444941	444444943
<b>Stainless Steel SKU code</b>	444444932	444444934	444444940	444444936	444444942	444444944

STERLING DELUXE RANGE COOKER COLLECTION TECHNICAL SPECIFICATION

Sterling Deluxe S1000EI	Sterling Deluxe S1000G	Sterling Deluxe S1100DF	Sterling Deluxe S1100DF GTG	Sterling Deluxe S1100EI	Sterling Deluxe S1100G
<p>Top right position Second oven Electric fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 64 actual / 57 litre usable capacity Usable cavity dimensions: 350mmH x 420mmW x 395mmD Power: 2.0Kwh Consumption: 0.66Kwh (Forced air) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door</p>	<p>Top right position Second oven Gas Conventional Oven A energy rating 64 actual / 59 litre usable capacity Usable cavity dimensions: 350mmH x 420mmW x 315mmD Power: 2.5Kwh Consumption: 1.51Kwh (Conventional) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door</p>	<p>Top right position Second oven Electric fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 71 actual / 64 litre usable capacity Usable cavity dimensions: 350mmH x 470mmW x 395mmD Power: 2.0Kwh Consumption: 0.75Kwh (Forced air) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 467mmW x 357mmD Halogen light Easy clean enamel interior Side opening door</p>	<p>Top right position Second oven Electric fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 71 actual / 64 litre usable capacity Usable cavity dimensions: 350mmH x 470mmW x 395mmD Power: 2.0Kwh Consumption: 0.75Kwh (Forced air) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 467mmW x 357mmD Halogen light Easy clean enamel interior Side opening door</p>	<p>Top right position Second oven Electric fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 71 actual / 64 litre usable capacity Usable cavity dimensions: 350mmH x 470mmW x 395mmD Power: 2.0Kwh Consumption: 0.75Kwh (Forced air) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 467mmW x 357mmD Halogen light Easy clean enamel interior Side opening door</p>	<p>Top right position Second oven Gas Conventional Oven A energy rating 71 actual / 66 litre usable capacity Usable cavity dimensions: 350mmH x 470mmW x 315mmD Power: 2.5Kwh Consumption: 1.79Kwh (Conventional) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 407mmW x 307mmD Halogen light Easy clean enamel interior Side opening door</p>
<p>Bottom right position Fourth oven Electric slow cooker Slow cook function 37 actual / 37 litre usable capacity Usable cavity dimensions: 200mmH x 420mmW x 430mmD Power: 0.16Kwh Drop-down door</p>	<p>Bottom right position Fourth oven Electric slow cooker Slow cook function 37 actual / 37 litre usable capacity Usable cavity dimensions: 200mmH x 420mmW x 430mmD Power: 0.16Kwh Drop-down door</p>	<p>Bottom right position Fourth oven Electric slow cooker Slow cook function 41 actual / 41 litre usable capacity Usable cavity dimensions: 200mmH x 470mmW x 430mmD Power: 0.16Kwh Drop-down door</p>	<p>Bottom right position Fourth oven Electric slow cooker Slow cook function 41 actual / 41 litre usable capacity Usable cavity dimensions: 200mmH x 470mmW x 430mmD Power: 0.16Kwh Drop-down door</p>	<p>Bottom right position Fourth oven Electric slow cooker Slow cook function 41 actual / 41 litre usable capacity Usable cavity dimensions: 200mmH x 470mmW x 430mmD Power: 0.16Kwh Drop-down door</p>	<p>Bottom right position Fourth oven Electric slow cooker Slow cook function 41 actual / 41 litre usable capacity Usable cavity dimensions: 200mmH x 470mmW x 430mmD Power: 0.16Kwh Drop-down door</p>
Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes
Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2
Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2
Yes, 1	Yes, 1	Yes, 1	Yes, 1	Yes, 1	Yes, 1
		Yes	Yes		
Shelves Telescopic shelves Shelf guides	Hob burners Pan supports Shelves Telescopic shelves Shelf guides Nat Gas 1/2" BSP female Rear right	Hob burners Pan supports Shelves Telescopic shelves Shelf guides Nat Gas 1/2" BSP female Rear right	Hob burners Pan supports Shelves Telescopic shelves Shelf guides Nat Gas 1/2" BSP female Rear right	Shelves Telescopic shelves Shelf guides	Hob burners Pan supports Shelves Telescopic shelves Shelf guides Nat Gas 1/2" BSP female Rear right
Yes		Yes	Yes	Yes	
Yes	Yes	Yes	Yes	Yes	Yes
240V	240V	240V	240V	240V	240V
15.53kW	2.98kW	8.13kW	8.13kW	15.53kW	2.98kW
	21.7kW	15kW	18kW		21.7kW
32A	13A	32A	32A	32A	13A
1045mmH x 1130mmW x 740mmD 92.9kg	1045mmH x 1130mmW x 740mmD 101.7kg	1045mmH x 1230mmW x 740mmD 105.7kg	1045mmH x 1230mmW x 740mmD 122.7kg	1045mmH x 1230mmW x 740mmD 101.4kg	1045mmH x 1230mmW x 740mmD 110.4kg
900-930mmH x 996mmW x 600mmD 85.9kg	900-930mmH x 996mmW x 600mmD 94.7kg	900-930mmH x 1096mmW x 600mmD 98.7kg	900-930mmH x 1096mmW x 600mmD 115.7kg	900-930mmH x 91096mmW x 600mmD 94.4kg	900-930mmH x 1096mmW x 600mmD 103.4kg
444444949	444444945	444444951	444444953	444444959	444444955
444444950	444444946	444444952	444444954	444444960	444444956

**STERLING RANGE COOKER COLLECTION TECHNICAL SPECIFICATION**

Product name	Sterling S900DF	Sterling S900EI	Sterling S900G	Sterling S1000DF	Sterling S1000EI	Sterling S1000G
<b>Product description</b>	900mm Dual Fuel Range Cooker	900mm Induction Range Cooker	900mm Gas Range Cooker	1000mm Dual Fuel Range Cooker	1000mm Induction Range Cooker	1000mm Gas Range Cooker
<b>Fuel</b>	Dual Fuel	Electric	Gas	Dual Fuel	Electric	Gas
<b>Number of ovens</b>	3	3	2	4	4	4
<b>Warranty period</b>	5 Year Parts & 1 Year Labour	5 Year Parts & 1 Year Labour	5 Year Parts & 1 Year Labour	5 Year Parts & 1 Year Labour	5 Year Parts & 1 Year Labour	5 Year Parts & 1 Year Labour
<b>Hob</b>	<ul style="list-style-type: none"> <li>5 Gas Burners</li> <li>Medium (2.0kW)</li> <li>Small (1.0kW)</li> <li>Wok (4.0kW)</li> <li>Large (3.0kW)</li> <li>Medium (2.0kW)</li> <li>Cast iron pan supports</li> <li>Automatic ignition</li> <li>Thermocouples (Flame safety device)</li> </ul>	<ul style="list-style-type: none"> <li>5 Induction Zones</li> <li>Medium Induction (1.6 - 3.0kW)</li> <li>Medium Induction (1.6 - 3.0kW)</li> <li>Large Induction (2.3 - 3.7kW)</li> <li>Small Induction (1.15 - 2.2kW)</li> <li>Medium Induction (1.4 - 3.0kW)</li> <li>Individual residual Heat Indicators</li> <li>Touch Controls (Hotplate)</li> <li>Digital power display</li> <li>10 power levels (incl. boost)</li> <li>Keep warm function</li> <li>Pan detection</li> <li>Pan overheat detection</li> <li>Child lock</li> <li>Boost function</li> <li>3 presets (melt/sauce, keep warm, rapid simmer)</li> <li>Auto heat up</li> <li>Auto stand by</li> <li>Minute minder</li> <li>Timer function</li> <li>Easy clean ceramic glass surface</li> </ul>	<ul style="list-style-type: none"> <li>5 Gas Burners</li> <li>Medium (2.0kW)</li> <li>Small (1.0kW)</li> <li>Wok (4.0kW)</li> <li>Large (3.0kW)</li> <li>Medium (2.0kW)</li> <li>Cast iron pan supports</li> <li>Automatic ignition</li> <li>Thermocouples (Flame safety device)</li> </ul>	<ul style="list-style-type: none"> <li>7 Gas Burners</li> <li>Small (1.0kW)</li> <li>Medium (2.0kW)</li> <li>Medium (2.0kW)</li> <li>Small (1.0kW)</li> <li>Wok (4.0kW)</li> <li>Large (3.0kW)</li> <li>Medium (2.0kW)</li> <li>Cast iron pan supports</li> <li>Automatic ignition</li> <li>Thermocouples (Flame safety device)</li> </ul>	<ul style="list-style-type: none"> <li>5 Induction Zones</li> <li>Medium Induction (1.6 - 3.0kW)</li> <li>Medium Induction (1.6 - 3.0kW)</li> <li>Large Induction (2.3 - 3.7kW)</li> <li>Small Induction (1.15 - 2.2kW)</li> <li>Medium Induction (1.4 - 3.0kW)</li> <li>Individual residual Heat Indicators</li> <li>Touch Controls (Hotplate)</li> <li>Digital power display</li> <li>10 power levels (incl. boost)</li> <li>Keep warm function</li> <li>Pan detection</li> <li>Pan overheat detection</li> <li>Child lock</li> <li>Boost function</li> <li>3 presets (melt/sauce, keep warm, rapid simmer)</li> <li>Auto heat up</li> <li>Auto stand by</li> <li>Minute minder</li> <li>Timer function</li> <li>Easy clean ceramic glass surface</li> </ul>	<ul style="list-style-type: none"> <li>7 Gas Burners</li> <li>Small (1.0kW)</li> <li>Medium (2.0kW)</li> <li>Medium (2.0kW)</li> <li>Small (1.0kW)</li> <li>Wok (4.0kW)</li> <li>Large (3.0kW)</li> <li>Medium (2.0kW)</li> <li>Cast iron pan supports</li> <li>Automatic ignition</li> <li>Thermocouples (Flame safety device)</li> </ul>
<b>Cavity 1</b>	<ul style="list-style-type: none"> <li>Top left position</li> <li>Third oven</li> <li>Electric conventional oven and grill</li> <li>3 functions:</li> <li>Variable rate dual circuit electric grill</li> <li>Conventional electric oven</li> <li>Top heat only</li> <li>A energy rating</li> <li>37 actual / 31 litre usable capacity</li> <li>Usable cavity dimensions:</li> <li>180mmH x 420mmW x 430mmD</li> <li>Power: 1.4Kwh (Oven), 2.7Kwh (Grill)</li> <li>Consumption: 0.67Kwh (Conventional)</li> <li>2 shelf positions</li> <li>Double extending removable telescopic shelves, 2 positions</li> <li>Usable area of shelves: 407mmW x 357mmD</li> <li>Drop-down door</li> </ul>	<ul style="list-style-type: none"> <li>Top left position</li> <li>Third oven</li> <li>Electric conventional oven and grill</li> <li>3 functions:</li> <li>Variable rate dual circuit electric grill</li> <li>Conventional electric oven</li> <li>Top heat only</li> <li>A energy rating</li> <li>37 actual / 31 litre usable capacity</li> <li>Usable cavity dimensions:</li> <li>180mmH x 420mmW x 430mmD</li> <li>Power: 1.4Kwh (Oven), 2.7Kwh (Grill)</li> <li>Consumption: 0.67Kwh (Conventional)</li> <li>2 shelf positions</li> <li>Double extending removable telescopic shelves, 2 positions</li> <li>Usable area of shelves: 407mmW x 357mmD</li> <li>Drop-down door</li> </ul>	<ul style="list-style-type: none"> <li>Top left position</li> <li>Gas grill</li> <li>Conventional electric oven</li> <li>37 actual / 35 litre usable capacity</li> <li>Usable cavity dimensions:</li> <li>180mmH x 420mmW x 430mmD</li> <li>Power: 2.4Kwh</li> <li>2 shelf positions</li> <li>Double extending removable telescopic shelves, 2 positions</li> <li>Usable area of shelves: 407mmW x 307mmD</li> <li>Drop-down door</li> </ul>	<ul style="list-style-type: none"> <li>Top left position</li> <li>Third oven</li> <li>Electric conventional oven and grill</li> <li>3 functions:</li> <li>Variable rate dual circuit electric grill</li> <li>Conventional electric oven</li> <li>Top heat only</li> <li>A energy rating</li> <li>37 actual / 31 litre usable capacity</li> <li>Usable cavity dimensions:</li> <li>180mmH x 420mmW x 430mmD</li> <li>Power: 1.4Kwh (Oven), 2.7Kwh (Grill)</li> <li>Consumption: 0.67Kwh (Conventional)</li> <li>2 shelf positions</li> <li>Double extending removable telescopic shelves, 2 positions</li> <li>Usable area of shelves: 407mmW x 357mmD</li> <li>Drop-down door</li> </ul>	<ul style="list-style-type: none"> <li>Top left position</li> <li>Third oven</li> <li>Electric conventional oven and grill</li> <li>3 functions:</li> <li>Variable rate dual circuit electric grill</li> <li>Conventional electric oven</li> <li>Top heat only</li> <li>A energy rating</li> <li>37 actual / 31 litre usable capacity</li> <li>Usable cavity dimensions:</li> <li>180mmH x 420mmW x 430mmD</li> <li>Power: 1.4Kwh (Oven), 2.7Kwh (Grill)</li> <li>Consumption: 0.67Kwh (Conventional)</li> <li>2 shelf positions</li> <li>Double extending removable telescopic shelves, 2 positions</li> <li>Usable area of shelves: 407mmW x 357mmD</li> <li>Drop-down door</li> </ul>	<ul style="list-style-type: none"> <li>Top left position</li> <li>Third oven</li> <li>Conventional oven &amp; grill</li> <li>2 functions:</li> <li>Fixed rate dual circuit electric grill</li> <li>Conventional gas oven</li> <li>A+ energy rating</li> <li>37 actual / 24 litre usable capacity</li> <li>Usable cavity dimensions:</li> <li>180mmH x 420mmW x 430mmD</li> <li>Power: 1.7Kwh (Oven), 2.7Kwh (Grill)</li> <li>Consumption: 0.90Kwh (Conventional)</li> <li>2 shelf positions</li> <li>Double extending removable telescopic shelves, 2 positions</li> <li>Usable area of shelves: 407mmW x 307mmD</li> <li>Drop-down door</li> </ul>
<b>Cavity 2</b>	<ul style="list-style-type: none"> <li>Bottom left position</li> <li>Main oven</li> <li>Electric multifunction oven</li> <li>Programmable oven</li> <li>11 functions:</li> <li>Variable rate electric grill</li> <li>Conventional electric oven</li> <li>Fanned electric oven</li> <li>Defrost</li> <li>Intensive bake (top, bottom &amp; fan)</li> <li>Top heat only</li> <li>Base heat only</li> <li>Base heat with fan</li> <li>Grill with fan</li> <li>Pizza function</li> <li>Dough proving</li> <li>Slow cook*</li> <li>Keep Warm/Plate Warming*</li> <li>A energy rating</li> <li>64 actual / 54 litre usable capacity</li> <li>Usable cavity dimensions:</li> <li>325mmH x 420mmW x 395mmD</li> <li>Power: 2.0Kwh (Oven), 1.7Kwh (Grill)</li> <li>Consumption: 0.73Kwh (Forced air) 0.77Kwh (Conventional)</li> <li>2 shelves, 6 shelf positions</li> <li>Double extending removable telescopic shelves, 4 positions</li> <li>Usable area of shelves: 407mmW x 357mmD</li> <li>Halogen light</li> <li>Easy clean enamel interior</li> <li>Side opening door</li> <li>Viewing window</li> </ul>	<ul style="list-style-type: none"> <li>Bottom left position</li> <li>Main oven</li> <li>Electric multifunction oven</li> <li>Programmable oven</li> <li>11 functions:</li> <li>Variable rate electric grill</li> <li>Conventional electric oven</li> <li>Fanned electric oven</li> <li>Defrost</li> <li>Intensive bake (top, bottom &amp; fan)</li> <li>Top heat only</li> <li>Base heat only</li> <li>Base heat with fan</li> <li>Grill with fan</li> <li>Pizza function</li> <li>Dough proving</li> <li>Slow cook*</li> <li>Keep Warm/Plate Warming*</li> <li>A energy rating</li> <li>64 actual / 54 litre usable capacity</li> <li>Usable cavity dimensions:</li> <li>325mmH x 420mmW x 395mmD</li> <li>Power: 2.0Kwh (Oven), 1.7Kwh (Grill)</li> <li>Consumption: 0.73Kwh (Forced air) 0.77Kwh (Conventional)</li> <li>2 shelves, 6 shelf positions</li> <li>Double extending removable telescopic shelves, 4 positions</li> <li>Usable area of shelves: 407mmW x 357mmD</li> <li>Halogen light</li> <li>Easy clean enamel interior</li> <li>Side opening door</li> <li>Viewing window</li> </ul>	<ul style="list-style-type: none"> <li>Bottom left position</li> <li>Main oven</li> <li>Gas conventional oven</li> <li>Programmable oven</li> <li>A energy rating</li> <li>64 actual / 64 litre usable capacity</li> <li>Usable cavity dimensions:</li> <li>325mmH x 420mmW x 315mmD</li> <li>Power: 2.5Kwh</li> <li>Consumption: 1.50Kwh (Conventional)</li> <li>2 shelves, 6 shelf positions</li> <li>Double extending removable telescopic shelves, 4 positions</li> <li>Usable area of shelves: 407mmW x 307mmD</li> <li>Halogen light</li> <li>Easy clean enamel interior</li> <li>Side opening door</li> <li>Viewing window</li> </ul>	<ul style="list-style-type: none"> <li>Bottom left position</li> <li>Main oven</li> <li>Electric multifunction oven</li> <li>Programmable oven</li> <li>11 functions:</li> <li>Variable rate electric grill</li> <li>Conventional electric oven</li> <li>Fanned electric oven</li> <li>Defrost</li> <li>Intensive bake (top, bottom &amp; fan)</li> <li>Top heat only</li> <li>Base heat only</li> <li>Base heat with fan</li> <li>Grill with fan</li> <li>Pizza function</li> <li>Dough proving</li> <li>Slow cook*</li> <li>Keep Warm/Plate Warming*</li> <li>A energy rating</li> <li>64 actual / 54 litre usable capacity</li> <li>Usable cavity dimensions:</li> <li>325mmH x 420mmW x 395mmD</li> <li>Power: 2.0Kwh (Oven), 1.7Kwh (Grill)</li> <li>Consumption: 0.73Kwh (Forced air) 0.77Kwh (Conventional)</li> <li>2 shelves, 6 shelf positions</li> <li>Double extending removable telescopic shelves, 4 positions</li> <li>Usable area of shelves: 407mmW x 357mmD</li> <li>Halogen light</li> <li>Easy clean enamel interior</li> <li>Side opening door</li> <li>Viewing window</li> </ul>	<ul style="list-style-type: none"> <li>Bottom left position</li> <li>Main oven</li> <li>Electric multifunction oven</li> <li>Programmable oven</li> <li>11 functions:</li> <li>Variable rate electric grill</li> <li>Conventional electric oven</li> <li>Fanned electric oven</li> <li>Defrost</li> <li>Intensive bake (top, bottom &amp; fan)</li> <li>Top heat only</li> <li>Base heat only</li> <li>Base heat with fan</li> <li>Grill with fan</li> <li>Pizza function</li> <li>Dough proving</li> <li>Slow cook*</li> <li>Keep Warm/Plate Warming*</li> <li>A energy rating</li> <li>64 actual / 54 litre usable capacity</li> <li>Usable cavity dimensions:</li> <li>325mmH x 420mmW x 395mmD</li> <li>Power: 2.0Kwh (Oven), 1.7Kwh (Grill)</li> <li>Consumption: 0.73Kwh (Forced air) 0.77Kwh (Conventional)</li> <li>2 shelves, 6 shelf positions</li> <li>Double extending removable telescopic shelves, 4 positions</li> <li>Usable area of shelves: 407mmW x 357mmD</li> <li>Halogen light</li> <li>Easy clean enamel interior</li> <li>Side opening door</li> <li>Viewing window</li> </ul>	<ul style="list-style-type: none"> <li>Bottom left position</li> <li>Main oven</li> <li>Gas conventional oven</li> <li>Programmable oven</li> <li>A energy rating</li> <li>64 actual / 59 litre usable capacity</li> <li>Usable cavity dimensions:</li> <li>325mmH x 420mmW x 315mmD</li> <li>Power: 2.5Kwh</li> <li>Consumption: 1.50Kwh (Conventional)</li> <li>2 shelves, 6 shelf positions</li> <li>Double extending removable telescopic shelves, 4 positions</li> <li>Usable area of shelves: 407mmW x 307mmD</li> <li>Halogen light</li> <li>Easy clean enamel interior</li> <li>Side opening door</li> <li>Viewing window*</li> </ul>

\*With Proflex Splitter. \*Included in Thermostat Settings



STERLING RANGE COOKER COLLECTION TECHNICAL SPECIFICATION

Sterling S1100DF	Sterling S1100EI	Sterling S1100G
1100mm Dual Fuel Range Cooker	1100mm Induction Range Cooker	1100mm Gas Range Cooker
Dual Fuel	Electric	Gas
4	4	4
5 Year Parts & 1 Year Labour	5 Year Parts & 1 Year Labour	5 Year Parts & 1 Year Labour
7 Gas Burners Small (1.0kW) Medium (2.0kW) Medium (2.0kW) Small (1.0kW) Wok (4.0kW) Large (3.0kW) Medium (2.0kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)	5 Induction Zones Medium Induction (1.6 - 3.0kW) Medium Induction (1.6 - 3.0kW) Large Induction (2.3 - 3.7kW) Small Induction (1.15 - 2.2kW) Medium Induction (1.4 - 3.0kW) Individual residual Heat Indicators Touch Controls (Hotplate) Digital power display 10 power levels (incl. boost) Keep warm function Pan detection Pan overheat detection Child lock Boost function 3 presets (melt/sauce, keep warm, rapid simmer) Auto heat up Auto stand by Minute minder Timer function Easy clean ceramic glass surface	7 Gas Burners Small (1.0kW) Medium (2.0kW) Medium (2.0kW) Small (1.0kW) Wok (4.0kW) Large (3.0kW) Medium (2.0kW) Cast iron pan supports Automatic ignition Thermocouples (Flame safety device)
Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 41 actual / 35 litre usable capacity Usable cavity dimensions: 180mmH x 470mmW x 430mmD Power: 1.4Kwh (Oven), 2.7Kwh (Grill) Consumption: 0.66Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 467mmW x 357mmD Drop-down door	Top left position Third oven Electric conventional oven and grill 3 functions: Variable rate dual circuit electric grill Conventional electric oven Top heat only A energy rating 41 actual / 35 litre usable capacity Usable cavity dimensions: 180mmH x 470mmW x 430mmD Power: 1.4Kwh (Oven), 2.7Kwh (Grill) Consumption: 0.66Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 467mmW x 357mmD Drop-down door	Top left position Third oven Conventional oven & grill 2 functions: Fixed rate dual circuit electric grill Conventional gas oven A energy rating 37 actual / 27 litre usable capacity Usable cavity dimensions: 180mmH x 470mmW x 430mmD Power: 1.7Kwh (Oven), 2.7Kwh (Grill) Consumption: 1.30Kwh (Conventional) 2 shelf positions Double extending removable telescopic shelves, 2 positions Usable area of shelves: 467mmW x 307mmD Drop-down door
Bottom left position Main oven Electric multifunction oven Programmable oven 11 functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 71 actual / 60 litre usable capacity Usable cavity dimensions: 325mmH x 470mmW x 395mmD Power: 2.0Kwh (Oven), 1.7Kwh (Grill) Consumption: 0.76Kwh (Forced air) 0.81Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 467mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Electric multifunction oven Programmable oven 11 functions: Variable rate electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Pizza function Dough proving Slow cook* Keep Warm/Plate Warming* A energy rating 71 actual / 60 litre usable capacity Usable cavity dimensions: 325mmH x 470mmW x 395mmD Power: 2.0Kwh (Oven), 1.7Kwh (Grill) Consumption: 0.76Kwh (Forced air) 0.81Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 467mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Bottom left position Main oven Gas conventional oven Programmable oven A energy rating 71 actual / 66 litre usable capacity Usable cavity dimensions: 325mmH x 470mmW x 315mmD Power: 2.5Kwh Consumption: 1.80Kwh (Conventional) 2 shelves, 6 shelf positions Double extending removable telescopic shelves, 4 positions Usable area of shelves: 467mmW x 307mmD Halogen light Easy clean enamel interior Side opening door Viewing window

CONTINUED  
OVERLEAF

STERLING RANGE COOKER COLLECTION TECHNICAL SPECIFICATION

Product name	Sterling S900DF	Sterling S900EI	Sterling S900G	Sterling S1000DF	Sterling S1000EI	Sterling S1000G
<b>Cavity 3</b>	Right position Second oven Electric tall fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 94 actual / 87 litre usable capacity Usable cavity dimensions: 620mmH x 350mmW x 395mmD Power: 2.5Kwh Consumption: 0.94Kwh (Forced air) 3 shelves, 8 shelf positions 8 telescopic shelf positions Usable area of shelves: 339mmW x 357mmD Halogen light Easy clean enamel interior Side opening door	Right position Second oven Electric tall fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 94 actual / 87 litre usable capacity Usable cavity dimensions: 620mmH x 350mmW x 395mmD Power: 2.5Kwh Consumption: 0.94Kwh (Forced air) 3 shelves, 8 shelf positions 8 telescopic shelf positions Usable area of shelves: 339mmW x 357mmD Halogen light Easy clean enamel interior Side opening door	Right position Second oven Electric tall fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 94 actual / 87 litre usable capacity Usable cavity dimensions: 620mmH x 350mmW x 395mmD Power: 2.5Kwh Consumption: 0.94Kwh (Forced air) 3 shelves, 8 shelf positions 8 telescopic shelf positions Usable area of shelves: 339mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window	Top right position Second oven Electric fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 64 actual / 57 litre usable capacity Usable cavity dimensions: 350mmH x 420mmW x 395mmD Power: 2.0Kwh Consumption: 0.66Kwh (Forced air) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door	Top right position Second oven Electric fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 64 actual / 57 litre usable capacity Usable cavity dimensions: 350mmH x 420mmW x 395mmD Power: 2.0Kwh Consumption: 0.66Kwh (Forced air) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door	Top right position Second oven Gas conventional oven A energy rating 64 actual / 59 litre usable capacity Usable cavity dimensions: 350mmH x 420mmW x 315mmD Power: 2.5Kwh Consumption: 1.5Kwh (Conventional) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 407mmW x 357mmD Halogen light Easy clean enamel interior Side opening door Viewing window
<b>Cavity 4</b>				Bottom right position Fourth oven Electric slow cooker Slow cook function 37 actual / 37 litre usable capacity Usable cavity dimensions: 200mmH x 420mmW x 430mmD Power: 0.16Kwh Drop-down door	Bottom right position Fourth oven Electric slow cooker Slow cook function 37 actual / 37 litre usable capacity Usable cavity dimensions: 200mmH x 420mmW x 430mmD Power: 0.16Kwh Drop-down door	Bottom right position Fourth oven Electric slow cooker Slow cook function 37 actual / 37 litre usable capacity Usable cavity dimensions: 200mmH x 420mmW x 430mmD Power: 0.16Kwh Drop-down door
<b>Fascia cooling system</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>Zeus Bluetooth Connected Timer</b>						
<b>Proflex Splitter</b>						
<b>Adjustable feet</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>Rear wheels</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>Removable cast griddle plate</b>	Yes		Yes	Yes		Yes
<b>Wok cradle</b>						
<b>Steam &amp; Infuse</b>						
<b>Full width oven pan – deep</b>	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2
<b>Full width oven pan – reversible trivet</b>	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2	Yes, 2
<b>Oven/grill pan handle</b>	Yes, 2	Yes, 2	Yes, 2	Yes, 1	Yes, 1	Yes, 1
<b>LPG conversion kit (available separately)</b>	Yes		No	Yes		No
<b>Removable parts (for cleaning)</b>	Hob burners Pan supports Shelves Telescopic shelves Shelf guides	Shelves Telescopic shelves Shelf guides	Hob burners Pan supports Shelves Telescopic shelves Shelf guides	Hob burners Pan supports Shelves Telescopic shelves Shelf guides	Shelves Telescopic shelves Shelf guides	Hob burners Pan supports Shelves Telescopic shelves Shelf guides
<b>Gas type</b>	Nat Gas		Nat Gas	Nat Gas		Nat Gas
<b>Gas inlet type</b>	1/2" BSP female		1/2" BSP female	1/2" BSP female		1/2" BSP female
<b>Gas inlet position</b>	Rear right		Rear right	Rear right		Rear right
<b>LPG convertible</b>	Yes		No	Yes		No
<b>Hard wired</b>	Yes	Yes	No	Yes	Yes	No
<b>Electrical connection</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>Supply voltage</b>	240V	240V	240V	240V	240V	240V
<b>Total electrical power load</b>	8.45kW	15.85kW	3.13kW	8.13kW	15.53kW	2.98kW
<b>Total gas power load</b>	12kW		16.8kW	12kW		21.7kW
<b>Fuse size</b>	32A	32A	13A	32A	32A	13A
<b>Dimensions – packed</b>	1045mmH x 1045mmW x 740mmD 102.7kg	1045mmH x 1045mmW x 740mmD 91.3kg	1045mmH x 1045mmW x 740mmD 99.45kg	1045mmH x 1130mmW x 740mmD 96kg	1045mmH x 1130mmW x 740mmD 92.2kg	1045mmH x 1130mmW x 740mmD 101.7kg
<b>Dimensions – product</b>	900-930mmH x 896mmW x 600mmD 95.7kg	900-930mmH x 896mmW x 600mmD 84.3kg	900-930mmH x 896mmW x 600mmD 92.45kg	900-930mmH x 996mmW x 600mmD 89kg	900-930mmH x 996mmW x 600mmD 85.2kg	900-930mmH x 996mmW x 600mmD 94.7kg
<b>Black SKU code</b>	444444481	444444487	444410806	444444491	444444497	444410808
<b>Stainless Steel SKU code</b>	444444482	444444488	444410807	444444492	444444498	444410809

STERLING RANGE COOKER COLLECTION TECHNICAL SPECIFICATION

Sterling S1100DF	Sterling S1100EI	Sterling S1100G
Top right position Second oven Electric fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 71 actual / 64 litre usable capacity Usable cavity dimensions: 350mmH x 470mmW x 395mmD Power: 2.0Kwh Consumption: 0.75Kwh (Forced air) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 467mmW x 357mmD Halogen light Easy clean enamel interior Side opening door	Top right position Second oven Electric fanned oven 4 functions: Fanned electric oven Slow cook Keep warm/plate warm function Dough proving A energy rating 71 actual / 64 litre usable capacity Usable cavity dimensions: 350mmH x 470mmW x 395mmD Power: 2.0Kwh Consumption: 0.75Kwh (Forced air) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 467mmW x 357mmD Halogen light Easy clean enamel interior Side opening door	Top right position Second oven Gas conventional oven A energy rating 71 actual / 66 litre usable capacity Usable cavity dimensions: 350mmH x 470mmW x 315mmD Power: 2.5Kwh Consumption: 1.80Kwh (Conventional) 2 shelves, 6 shelf positions 4 telescopic shelf positions Usable area of shelves: 407mmW x 307mmD Halogen light Easy clean enamel interior Side opening door Viewing window
Bottom right position Fourth oven Electric slow cooker Slow cook function 41 actual / 41 litre usable capacity Usable cavity dimensions: 200mmH x 470mmW x 430mmD Power: 0.16Kwh Drop-down door	Bottom right position Fourth oven Electric slow cooker Slow cook function 41 actual / 41 litre usable capacity Usable cavity dimensions: 200mmH x 470mmW x 430mmD Power: 0.16Kwh Drop-down door	Bottom right position Fourth oven Electric slow cooker Slow cook function 41 actual / 41 litre usable capacity Usable cavity dimensions: 200mmH x 470mmW x 430mmD Power: 0.16Kwh Drop-down door
Yes	Yes	Yes
Yes	Yes	Yes
Yes	Yes	Yes
Yes, 2	Yes, 2	Yes, 2
Yes, 2	Yes, 2	Yes, 2
Yes, 1	Yes, 1	Yes, 1
Yes		No
Hob burners Pan supports Shelves Telescopic shelves Shelf guides	Shelves Telescopic shelves Shelf guides	Hob burners Pan supports Shelves Telescopic shelves Shelf guides
Nat Gas		Nat Gas
1/2" BSP female		1/2" BSP female
Rear right		Rear right
Yes		No
Yes	Yes	No
Yes	Yes	Yes
240V	240V	240V
8.13kW	15.53kW	2.98kW
12kW		21.7kW
32A	32A	13A
1045mmH x 1230mmW x 740mmD 104.3kg	1045mmH x 1230mmW x 740mmD 100.7kg	1045mmH x 1230mmW x 740mmD 110.4kg
900-930mmH x 1096mmW x 600mmD 97.3kg	900-930mmH x 1096mmW x 600mmD 93.7kg	900-930mmH x 1096mmW x 600mmD 103.4kg
444444501	444444507	444410810
444444502	444444508	444410811



**MADE BETTER**

Stoney Lane, Prescot, Merseyside L35 2XW  
[stoves.co.uk](http://stoves.co.uk)

**Stoves Customer Care**  
0344 815 3740

**Product Information Helpline**  
0344 248 4149